



Automatización Eléctrica

Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#)

General Information

| | |
|------------------------|--|
| Extended Product Type: | E6H/MS 6300 4p F VR |
| Product ID: | 1SDA037628R1 |
| EAN: | 8015644376284 |
| Catalog Description: | E6H/MS 6300 4p F VR |
| Long Description: | C.BREAKER SWITCH-DISCONNECTOR E6H/MS 6300A FOUR-POLE FIXED WITH TERMINALES REAR VERTICAL |

Categories

| |
|--|
| Products » Low Voltage Products and Systems » Circuit Breakers » Air Circuit Breakers » Emax (old) |
| Products » Low Voltage Products and Systems » Circuit Breakers » Service » Replacements |

Ordering

| | |
|-------------------------|---------------|
| EAN: | 8015644376284 |
| Minimum Order Quantity: | 1 piece |
| Customs Tariff Number: | 85362090 |

Dimensions

| | |
|---------------------|---------|
| Product Net Width: | 515 mm |
| Product Net Height: | 600 mm |
| Product Net Length: | 1127 mm |
| Product Net Depth: | 0.302 m |
| Product Net Weight: | 135 kg |

Container Information

| | |
|-------------------------------|---------------|
| Package Level 1 Units: | 1 piece |
| Package Level 1 Height: | 600 mm |
| Package Level 1 Length: | 515 mm |
| Package Level 1 Gross Weight: | 161 kg |
| Package Level 1 EAN: | 8015644376284 |

Environmental

| | |
|--------------|-----------------------|
| RoHS Status: | No declaration needed |
|--------------|-----------------------|

Additional Information

| | |
|--|-------------------------------|
| Electrical Durability: | 2000 |
| IIT Publishing Status: | Level 0 - Information enabled |
| Number of Poles: | 4 |
| Power Loss: | 650 W |
| Product Main Type: | SACE Emax Old |
| Product Name: | Switch-disconnector |
| Product Type: | SD |
| Rated Current (I_n): | 6300 A |
| Rated Operational Voltage: | 690 V AC |
| Standards: | IEC-947-3 |
| Sub-type: | E6 |
| Suitable For: | Emax E6 |
| Suitable for Product Class: | Emax |
| Terminal Connection Type: | Rear flat Vertical |
| Test Voltage at Industrial Frequency for 1 Minute: | 3500 V |
| Version: | Fixed |

Certificates and Declarations (Document Number)

| | |
|------------------------------------|-----------------|
| Data Sheet, Technical Information: | 1SDC200001D0201 |
| Declaration of Conformity - CE: | 1SDL000162R0050 |
| RoHS Information: | 1SDL000197R0001 |

Classifications

| | |
|---------|---|
| ETIM 4: | EC000228 - Power circuit-breaker for trafo/generator/installation prot. |
| ETIM 5: | EC000228 - Power circuit-breaker for trafo/generator/installation prot. |

Object Classification Code:

Q





Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

| Product | Code | Reference | Product link |
|---------------------|--------------|-----------|----------------------------|
| E6H/MS 6300 4p F VR | 1SDA037628R1 | | Buy on EAN |