



At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking <u>HERE</u>

EXTENDED FRONT TERM.DIST. III S3-S4



General Information

Extended Product Type: EXTENDED FRONT TERM.DIST. III S3-S4

Product ID: 1SDA046515R1 EAN: 8015644465155

Catalog Description: EXTENDED FRONT TERM.DIST. III S3-S4

Long Description: EXTENDED FRONT TERM.DIST. III S3-S4

Categories

Products » Low Voltage Products and Systems » Circuit Breakers » Moulded Case Circuit Breakers » Accessories for

Isomax

Products » Low Voltage Products and Systems » Circuit Breakers » Service » Replacements

Ordering

EAN: 8015644465155 **Minimum Order Quantity:** 1 piece 85389099 **Customs Tariff Number:**

Dimensions

Product Net Width: 300 mm **Product Net Height:** 40 mm **Product Net Length:** 300 mm **Product Net Depth:** 0.3 m **Product Net Weight:** 0.98 kg

Container Information

Package Level 1 Units: 1 piece Package Level 1 Height: 40 mm Package Level 1 Length: 300 mm Package Level 1 Gross Weight: 0.98 kg Package Level 1 EAN: 8015644465155

Additional Information

Device: S3-S4 **Number of Poles:** 3 **Product Main Type:** SACE Isomax **Product Name:** Isomax Acc Suitable For: Isomax Acc Suitable for Product Class: Isomax

Certificates and Declarations (Document Number)

Data Sheet, Technical Information: ITSCE-604050012 **Declaration of Conformity - CE:** ITSCE-604050012

Classifications

Object Classification Code: Q







Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, click on the green button.

Product	Code	Reference	Product link
EXTENDED FRONT TERM.DIST. III S3-S4	1SDA046515R1		Buy on EAN