



Automatización Eléctrica

Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#)

General Information

| | |
|------------------------|--|
| Extended Product Type: | T8D 2000 4p F F |
| Product ID: | 1SDA065753R1 |
| EAN: | 8015644686642 |
| Catalog Description: | T8D 2000 4p F F |
| Long Description: | SWITCH-DISCONNECTOR TMAX T8D 2000 FIXED FOUR-POLE WITH FRONT TERMINALS |

Categories

Products » Low Voltage Products and Systems » Circuit Breakers » Moulded Case Circuit Breakers » Tmax T

Ordering

| | |
|-------------------------|---------------|
| EAN: | 8015644686642 |
| Minimum Order Quantity: | 1 piece |
| Customs Tariff Number: | 85362090 |

Dimensions

| | |
|---------------------|---------|
| Product Net Width: | 553 mm |
| Product Net Height: | 382 mm |
| Product Net Depth: | 282 mm |
| Product Net Weight: | 12.5 kg |

Container Information

| | |
|-------------------------------|---------------|
| Package Level 1 Units: | 1 piece |
| Package Level 1 Width: | 650 mm |
| Package Level 1 Height: | 475 mm |
| Package Level 1 Length: | 695 mm |
| Package Level 1 Gross Weight: | 14 kg |
| Package Level 1 EAN: | 8015644686642 |

Additional Information

| | |
|--|---|
| Electrical Durability: | 4500 cycle 20 cycles per hour |
| Mechanical Durability: | 15000 cycle 60 cycles per hour |
| Number of Poles: | 4 |
| Power Loss: | at Rated Operating Conditions per Pole 46 W |
| Product Main Type: | SACE Tmax T |
| Product Name: | Switch-disconnector |
| Product Type: | SD |
| Rated Impulse Withstand Voltage (U _{imp}): | 8 kV |
| Rated Insulation Voltage (U _i): | 1000 V |
| Rated Operational Voltage: | 690 V AC |
| Rated Short-time Withstand Current (I _{cw}): | for 1 s 40 A |
| Rated Uninterrupted Current (I _u): | 2000 A |
| Standards: | IEC 60947 |
| Sub-type: | T8 |
| Terminal Connection Type: | Fixed Circuit-Breakers Front |
| Version: | F |

Certificates and Declarations (Document Number)

| | |
|------------------------------------|-----------------|
| Data Sheet, Technical Information: | 1SDC210023D0201 |
| Declaration of Conformity - CE: | 1SDL000165R0008 |

Classifications

| | |
|-----------------------------|---|
| ETIM 4: | EC000228 - Power circuit-breaker for trafo/generator/installation prot. |
| ETIM 5: | EC000228 - Power circuit-breaker for trafo/generator/installation prot. |
| Object Classification Code: | Q |





Automatización Eléctrica
Especialistas en Automatización

Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

| Product | Code | Reference | Product link |
|-----------------|--------------|-----------|----------------------------|
| T8D 2000 4p F F | 1SDA065753R1 | T8D2000 | Buy on EAN |