



Automatización Eléctrica Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking <u>HERE</u>

ZA185



Extended Product Type:	ZA185			
Product ID:	1SFN154710R5006			
EAN:	7320500204696 ZA185 400V 50Hz Operating Coil a.c. operated contactor coil			
Catalog Description:				
Long Description:				
Categories				
Products » Low Voltage Products and	d Systems » Control Products » Contactors » Block Contactors Accessories			
Drdering				
EAN:	7320500204696			
Minimum Order Quantity:	1 piece			
Customs Tariff Number:	85389099			
Dimensions				
Product Net Width:	105.0 mm			
Product Net Height:	55.0 mm			
Product Net Depth:	40.0 mm			
Product Net Weight:	0.24 kg			
Container Information				
Package Level 1 Units:	1 piece			
Package Level 1 Width:	90 mm			
-	90 mm 65 mm			
Package Level 1 Height:	65 mm			
Package Level 1 Width: Package Level 1 Height: Package Level 1 Length: Package Level 1 Gross Weight:	65 mm 175 mm			
Package Level 1 Height: Package Level 1 Length:	65 mm			
Package Level 1 Height: Package Level 1 Length: Package Level 1 Gross Weight:	65 mm 175 mm			
Package Level 1 Height: Package Level 1 Length: Package Level 1 Gross Weight: Environmental	65 mm 175 mm 0.226 kg			
Package Level 1 Height:	65 mm 175 mm			
Package Level 1 Height: Package Level 1 Length: Package Level 1 Gross Weight: Environmental Battery Information:	65 mm 175 mm 0.226 kg Type NONE			
Package Level 1 Height: Package Level 1 Length: Package Level 1 Gross Weight: Environmental Battery Information: RoHS Status:	65 mm 175 mm 0.226 kg Type NONE			
Package Level 1 Height: Package Level 1 Length: Package Level 1 Gross Weight: Environmental Battery Information: RoHS Status:	65 mm 175 mm 0.226 kg Type NONE			
Package Level 1 Height: Package Level 1 Length: Package Level 1 Gross Weight: Environmental Battery Information: RoHS Status: Additional Information Product Main Type:	65 mm 175 mm 0.226 kg Type NONE Following EU Directive 2002/95/EC August 18, 2005 and amendment ZA185			
Package Level 1 Height: Package Level 1 Length: Package Level 1 Gross Weight: Environmental Battery Information: RoHS Status: Additional Information Product Main Type: Product Name:	65 mm 175 mm 0.226 kg Type NONE Following EU Directive 2002/95/EC August 18, 2005 and amendment ZA185 Operating Coil 60 Hz 440 V			
Package Level 1 Height: Package Level 1 Length: Package Level 1 Gross Weight: Environmental Battery Information: RoHS Status: Additional Information Product Main Type: Product Name: Rated Control Circuit Voltage (U _c):	65 mm 175 mm 0.226 kg Type NONE Following EU Directive 2002/95/EC August 18, 2005 and amendment ZA185 Operating Coil 60 Hz 440 V 50 Hz 400 V			
Package Level 1 Height: Package Level 1 Length: Package Level 1 Gross Weight: Environmental Battery Information: RoHS Status: Additional Information Product Main Type: Product Name: Rated Control Circuit Voltage (U _c): RoHS Date:	65 mm 175 mm 0.226 kg Type NONE Following EU Directive 2002/95/EC August 18, 2005 and amendment ZA185 Operating Coil 60 Hz 440 V 50 Hz 400 V 0618 1			
Package Level 1 Height: Package Level 1 Length: Package Level 1 Gross Weight: Environmental Battery Information: RoHS Status: Additional Information Product Main Type: Product Name: Rated Control Circuit Voltage (U _c): RoHS Date: Suitable For:	65 mm 175 mm 0.226 kg Type NONE Following EU Directive 2002/95/EC August 18, 2005 and amendment ZA185 Operating Coil 60 Hz 440 V 50 Hz 400 V 0618 1 A185			
Package Level 1 Height: Package Level 1 Length: Package Level 1 Gross Weight: Environmental Battery Information: RoHS Status: Additional Information Product Main Type: Product Name: Rated Control Circuit Voltage (U _c): RoHS Date: Suitable For: Suitable for Product Class:	65 mm 175 mm 0.226 kg Type NONE Following EU Directive 2002/95/EC August 18, 2005 and amendment ZA185 Operating Coil 60 Hz 440 V 50 Hz 400 V 0618 1 A185 CONTACTORS			
Package Level 1 Height: Package Level 1 Length: Package Level 1 Gross Weight: Environmental Battery Information: RoHS Status: Additional Information Product Main Type: Product Name: Rated Control Circuit Voltage (U _c): RoHS Date: Suitable For: Suitable for Product Class:	65 mm 175 mm 0.226 kg Type NONE Following EU Directive 2002/95/EC August 18, 2005 and amendment ZA185 Operating Coil 60 Hz 440 V 50 Hz 400 V 0618 1 A185			
Package Level 1 Height: Package Level 1 Length: Package Level 1 Gross Weight: Environmental Battery Information: RoHS Status: Additional Information Product Main Type: Product Name: Rated Control Circuit Voltage (U _c): RoHS Date: Suitable For: Suitable for Product Class: Terminal Type:	65 mm 175 mm 0.226 kg Type NONE Following EU Directive 2002/95/EC August 18, 2005 and amendment ZA185 Operating Coil 60 Hz 440 V 50 Hz 400 V 50 Hz 400 V 0618 1 A185 CONTACTORS Screw Terminals			
Package Level 1 Height: Package Level 1 Length: Package Level 1 Gross Weight: Environmental Battery Information: RoHS Status: Additional Information Product Main Type: Product Name: Rated Control Circuit Voltage (U _c): RoHS Date: Suitable For: Suitable For: Suitable for Product Class: Terminal Type: Certificates and Declarations (Declaration)	65 mm 175 mm 0.226 kg Type NONE Following EU Directive 2002/95/EC August 18, 2005 and amendment ZA185 Operating Coil 60 Hz 440 V 50 Hz 400 V 0618 1 A185 CONTACTORS Screw Terminals			
Package Level 1 Height: Package Level 1 Length: Package Level 1 Gross Weight: Environmental Battery Information: RoHS Status: Additional Information Product Main Type: Product Name: Rated Control Circuit Voltage (U _c): RoHS Date: Suitable For: Suitable For: Suitable for Product Class: Terminal Type: Certificates and Declarations (Doc Data Sheet, Technical Information:	65 mm 175 mm 0.226 kg Type NONE Following EU Directive 2002/95/EC August 18, 2005 and amendment ZA185 Operating Coil 60 Hz 440 V 50 Hz 400 V 0618 1 A185 CONTACTORS Screw Terminals			
Package Level 1 Height: Package Level 1 Length: Package Level 1 Gross Weight: Environmental Battery Information:	65 mm 175 mm 0.226 kg Type NONE Following EU Directive 2002/95/EC August 18, 2005 and amendment ZA185 Operating Coil 60 Hz 440 V 50 Hz 400 V 0618 1 A185 CONTACTORS Screw Terminals COMMENDER SCREW TerminalS			
Package Level 1 Height: Package Level 1 Length: Package Level 1 Gross Weight: Environmental Battery Information: RoHS Status: Additional Information Product Main Type: Product Name: Rated Control Circuit Voltage (U _c): RoHS Date: Suitable For: Suitable for Product Class: Terminal Type: Certificates and Declarations (Declarations) Data Sheet, Technical Information: Declaration of Conformity - CE:	65 mm 175 mm 0.226 kg Type NONE Following EU Directive 2002/95/EC August 18, 2005 and amendment ZA185 Operating Coil 60 Hz 440 V 50 Hz 400 V 0618 1 A185 CONTACTORS Screw Terminals CONTACTORS Screw Terminals			
Package Level 1 Height: Package Level 1 Length: Package Level 1 Gross Weight: Environmental Battery Information: RoHS Status: Additional Information Product Main Type: Product Name: Rated Control Circuit Voltage (U _c): RoHS Date: Suitable For: Suitable For: Suitable for Product Class: Terminal Type: Certificates and Declarations (Declarations (Declaration of Conformity - CE: RoHS Information:	65 mm 175 mm 0.226 kg Type NONE Following EU Directive 2002/95/EC August 18, 2005 and amendment ZA185 Operating Coil 60 Hz 440 V 50 Hz 400 V 0618 1 A185 CONTACTORS Screw Terminals CONTACTORS Screw Terminals			
Package Level 1 Height: Package Level 1 Length: Package Level 1 Gross Weight: Environmental Battery Information: RoHS Status: Additional Information Product Main Type: Product Name: Rated Control Circuit Voltage (U _c): RoHS Date: Suitable For: Suitable For: Suitable For: Suitable For Product Class: Terminal Type: Certificates and Declarations (Declarations (Declaration of Conformity - CE: RoHS Information: Declaration of Conformity - CE: RoHS Information: Classifications	65 mm 175 mm 0.226 kg Type NONE Following EU Directive 2002/95/EC August 18, 2005 and amendment ZA185 Operating Coil 60 Hz 440 V 50 Hz 400 V 0618 1 A185 CONTACTORS Screw Terminals CONTACTORS Screw Terminals			
Package Level 1 Height: Package Level 1 Length: Package Level 1 Gross Weight: Environmental Battery Information: RoHS Status: Additional Information Product Main Type: Product Name: Rated Control Circuit Voltage (U _c): RoHS Date: Suitable For: Suitable for Product Class: Terminal Type: Certificates and Declarations (Declarations) Data Sheet, Technical Information: Declaration of Conformity - CE:	65 mm 175 mm 0.226 kg Type NONE Following EU Directive 2002/95/EC August 18, 2005 and amendment ZA185 Operating Coil 60 Hz 440 V 50 Hz 400 V 0618 1 A185 CONTACTORS Screw Terminals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determinals Determi			
Package Level 1 Height: Package Level 1 Length: Package Level 1 Gross Weight: Environmental Battery Information: RoHS Status: Additional Information Product Main Type: Product Name: Rated Control Circuit Voltage (U _c): RoHS Date: Suitable For: Suitable for Product Class: Terminal Type: Certificates and Declarations (Declarations (Declaration) Data Sheet, Technical Information: Declaration of Conformity - CE: RoHS Information: Classifications ETIM 4:	65 mm 175 mm 0.226 kg Type NONE Following EU Directive 2002/95/EC August 18, 2005 and amendment ZA185 Operating Coil 60 Hz 440 V 50 Hz 400 V 0618 1 A185 CONTACTORS Screw Terminals CONTACTORS Screw Terminals COMPACTORS Screw Terminals Screw Terminals Sc			







Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, <u>click on the green button</u>.

Product	Code	Reference	Product link
ZA185 400V 50Hz Operating Coil	1SFN154710R5006	ZA185	Buy on EAN