



## Automatización Eléctrica Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking <u>HERE</u>

## RBR121A-115VAC/DC



| Extended Product Type:                          | RBR121A-115VAC/DC  |  |  |
|---|--|--|--|
| Product ID:                                     | 1SNA645503R0700  |  |  |
| EAN:  | 4013614508196  |  |  |
| Catalog Description:                            | RBR121A-115VAC/DC Interface relay R600 1c/o,A1-A2=115VAC/DC,250V/10mA-6A,LED     |  |  |
| Long Description:                               | Spring relay RBR121A 115vac/dc : 115vac-dc input / 1SPDT 10 mA upto 6A with led  |  |  |
| Categories                                      |  |  |  |
|   | d Systems » Control Products » Electronic Relays and Controls » Interface Relays |  |  |
| and Optocouplers                                |  |  |  |
| Drdering  |  |  |  |
| EAN:  | 4013614508196  |  |  |
| Minimum Order Quantity:                         | 10 piece   |  |  |
| Customs Tariff Number:                          | 85364900   |  |  |
| Dimensions                                      |  |  |  |
| Product Net Width:                              | 6 mm   |  |  |
| Product Net Height:                             | 67.5 mm  |  |  |
| Product Net Depth:                              | 75 mm  |  |  |
| Product Net Weight:                             | 0.02 kg  |  |  |
| Container Information                           |  |  |  |
| Package Level 1 Units:                          | 10 piece   |  |  |
| Package Level 1 Width:                          | 73 mm  |  |  |
| Package Level 1 Height:                         | 71 mm  |  |  |
| Package Level 1 Length:                         | 80 mm  |  |  |
| Package Level 1 Gross Weight:                   | 0.23 kg  |  |  |
| Package Level 1 EAN:                            | 3472596455033  |  |  |
| Technical                                       |  |  |  |
| Function:                                       | Boxed interface relay R600   |  |  |
| Sub-Function:                                   | Relay with built in LED  |  |  |
| Output:   | 1 c/o (SPDT) contact   |  |  |
| Output Signal:                                  | 12 250 V AC / 10 mA 6 A  |  |  |
| Rated Control Supply Voltage (U <sub>s</sub> ): | 115 V AC/DC  |  |  |
| Terminal Type:                                  | Spring Terminals   |  |  |
| Certificates and Declarations (Do               | ocument Number)  |  |  |
| CSA Certificate:                                | CSA 254821   |  |  |
| cUR Certificate:                                | cUR E352056  |  |  |
| Declaration of Conformity - CE:                 | 1SND225048C1000  |  |  |
| EAC Certificate:                                | EAC RU C-FR.ME77.B.01634   |  |  |
| LR Certificate:                                 | LRS_0620042  |  |  |
| UR Certificate:                                 | UR E352056   |  |  |
|   |  |  |  |
| Classifications                                 |  |  |  |
| Object Classification Code:                     | К  |  |  |
| ETIM 4:   | EC001437 - Switching relay   |  |  |
| ETIM 5:   | EC001437 - Switching relay   |  |  |
| ETTIVI 5.                                       |  |  |  |
| UNSPSC:   | 39121500   |  |  |







Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, <u>click on the green button</u>.

| Product   | Code            | Reference             | Product link |
|---|-----------------|-----------------------|--------------|
| RBR121A-115VAC/DC Interface relay R600<br>1c/o,A1-A2=115VAC/DC,250V/10mA-6A,LED | 1SNA645503R0700 | RBR 121<br>A-115VAC/D | Buy on EAN   |