



Automatización Eléctrica

Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#)

General Information

| | |
|------------------------|--|
| Extended Product Type: | F202 AC-63/0,5 |
| Product ID: | 2CSF202001R4630 |
| EAN: | 8012542781103 |
| Catalog Description: | F202 AC-63/0,5 Residual Current Dev. |
| Long Description: | The RCCBs F200 series assures protection to people and installations against fault current to earth. A large offer for standard instantaneous and selective AC and A types is completed with some configurations for special applications. |

Categories

Products » Low Voltage Products and Systems » Modular DIN Rail Products » Residual Current Devices RCDs » Residual Current Devices RCDs

Ordering

| | |
|-------------------------|---------------|
| EAN: | 8012542781103 |
| Minimum Order Quantity: | 1 piece |
| Customs Tariff Number: | 85363030 |

Dimensions

| | |
|---------------------|----------|
| Product Net Width: | 0.035 m |
| Product Net Height: | 0.085 m |
| Product Net Depth: | 0.069 m |
| Product Net Weight: | 0.200 kg |

Container Information

| | |
|-------------------------------|---------------|
| Package Level 1 Units: | 1 piece |
| Package Level 1 Width: | 0.041 m |
| Package Level 1 Height: | 0.078 m |
| Package Level 1 Length: | 0.096 m |
| Package Level 1 Gross Weight: | 0.225 kg |
| Package Level 1 EAN: | 8012542781103 |

Technical

| | |
|---------------------------|--|
| Standards: | EN 61008 UL 1053 |
| Operating Characteristic: | Instantaneous |
| Type of Residual Current: | AC type |
| Rated Residual Current: | 500 mA |
| Rated Current (I_n): | 63 A |
| Number of Poles: | 2 |
| Power Loss: | at Rated Operating Conditions per Pole 3.2 W |
| Rated Voltage (U_r): | 230/400 V |

Environmental

| | |
|--------------|---|
| RoHS Status: | Planned to follow EU Directive 2002/95/EC August 18, 2005 and amendment after 2007 Q3 |
|--------------|---|

Certificates and Declarations (Document Number)

| | |
|---------------------------------|-----------------|
| Declaration of Conformity - CE: | ITSCE116F200 |
| RoHS Information: | 2CSC423001K0201 |

Classifications

| | |
|-----------------------------|--|
| Object Classification Code: | Q |
| ETIM 4: | EC000003 - Residual current circuit breaker (RCCB) |
| ETIM 5: | EC000003 - Residual current circuit breaker (RCCB) |





Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

| Product | Code | Reference | Product link |
|--------------------------------------|-----------------|------------------|----------------------------|
| F202 AC-63/0,5 Residual Current Dev. | 2CSF202001R4630 | F202AC-63/0,5 | Buy on EAN |