



Automatización Eléctrica Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking <u>HERE</u>

F202 A-80/0,1



General Information

| Extended Product Type: | F202 A-80/0,1 |
|------------------------|--|
| Product ID: | 2CSF202101R2800 |
| EAN: | 8012542915409 |
| Catalog Description: | F202 A-80/0,1 Residual Current Dev. |
| Long Description: | The RCCBs F200 series assures protection to people and installations against fault current to earth. A large offer for standard instantaneous and selective AC and A types is completed with some configurations for special applications. |

Categories

Products » Low Voltage Products and Systems » Modular DIN Rail Products » Residual Current Devices RCDs » Residual Current Devices RCDs

| Ordering | |
|--|---|
| EAN: | 8012542915409 |
| Minimum Order Quantity: | 1 piece |
| Customs Tariff Number: | 85363030 |
| Dimensions | |
| Product Net Width: | 0.035 m |
| Product Net Height: | 0.085 m |
| Product Net Depth: | 0.069 m |
| Product Net Weight: | 0.200 kg |
| Container Information | |
| Package Level 1 Units: | 1 piece |
| Package Level 1 Width: | 0.041 m |
| Package Level 1 Height: | 0.078 m |
| Package Level 1 Length: | 0.096 m |
| Package Level 1 Gross Weight: | 0.225 kg |
| Package Level 1 EAN: | 8012542915409 |
| Technical | |
| Standards: | EN 61008 UL 1053 |
| Operating Characteristic: | Instantaneous |
| Type of Residual Current: | A type |
| Rated Residual Current: | 100 mA |
| Rated Current (In): | 80 A |
| Number of Poles: | 2 |
| Power Loss: | at Rated Operating Conditions per Pole 4.5 W |
| Environmental | |
| RoHS Status: | Planned to follow EU Directive 2002/95/EC August 18, 2005 and amendment after 2007 Q3 |
| Cartificates and Declarations // | |
| Certificates and Declarations (Declaration of Conformity - CE: | ITSCE116F200 |
| RoHS Information: | 2CSC423001K0201 |
| | |
| Classifications | |
| Object Classification Code: | Q |
| ETIM 4: | EC000003 - Residual current circuit breaker (RCCB) |
| ETIM 5: | EC000003 - Residual current circuit breaker (RCCB) |







Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, <u>click on the green button</u>.

| Product | Code | Reference | Product link |
|-------------------------------------|-----------------|--------------|--------------|
| F202 A-80/0,1 Residual Current Dev. | 2CSF202101R2800 | F202A-80/0,1 | Buy on EAN |