



**Automatización Eléctrica**

Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#)

**General Information**

<b>Extended Product Type:</b>	F202 A S-40/0,5
<b>Product ID:</b>	2CSF202201R4400
<b>EAN:</b>	8012542784500
<b>Catalog Description:</b>	F202 A S-40/0,5 Residual Current Dev.
<b>Long Description:</b>	The RCCBs F200 series assures protection to people and installations against fault current to earth. A large offer for standard instantaneous and selective AC and A types is completed with some configurations for special applications.

**Categories**

Products » Low Voltage Products and Systems » Modular DIN Rail Products » Residual Current Devices RCDs » Residual Current Devices RCDs

**Ordering**

<b>EAN:</b>	8012542784500
<b>Minimum Order Quantity:</b>	1 piece
<b>Customs Tariff Number:</b>	85363030

**Dimensions**

<b>Product Net Width:</b>	0.035 m
<b>Product Net Height:</b>	0.085 m
<b>Product Net Depth:</b>	0.069 m
<b>Product Net Weight:</b>	0.200 kg

**Container Information**

<b>Package Level 1 Units:</b>	1 piece
<b>Package Level 1 Width:</b>	0.041 m
<b>Package Level 1 Height:</b>	0.078 m
<b>Package Level 1 Length:</b>	0.096 m
<b>Package Level 1 Gross Weight:</b>	0.225 kg
<b>Package Level 1 EAN:</b>	8012542784500

**Technical**

<b>Standards:</b>	EN 61008 UL 1053
<b>Operating Characteristic:</b>	Selective
<b>Type of Residual Current:</b>	A type
<b>Rated Residual Current:</b>	500 mA
<b>Rated Current (<math>I_n</math>):</b>	40 A
<b>Number of Poles:</b>	2
<b>Power Loss:</b>	at Rated Operating Conditions per Pole 2.4 W
<b>Rated Voltage (<math>U_r</math>):</b>	230/400 V

**Environmental**

<b>RoHS Status:</b>	Planned to follow EU Directive 2002/95/EC August 18, 2005 and amendment after 2007 Q3
---------------------	---

**Certificates and Declarations (Document Number)**

<b>Declaration of Conformity - CE:</b>	ITSCE116F200
<b>RoHS Information:</b>	2CSC423001K0201

**Classifications**

<b>Object Classification Code:</b>	Q
<b>ETIM 4:</b>	EC000003 - Residual current circuit breaker (RCCB)
<b>ETIM 5:</b>	EC000003 - Residual current circuit breaker (RCCB)





**Automatización Eléctrica**  
Especialistas en Automatización

Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button](#).

Product	Code	Reference	Product link
F202 A S-40/0,5 Residual Current Dev.	2CSF202201R4400	F202AS-40/0,5	<a href="#">Buy on EAN</a>