



**Automatización Eléctrica**

Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#)

### General Information

|                        |  |
|------------------------|--|
| Extended Product Type: | F202 A-25/0,03 AP-R  |
| Product ID:            | 2CSF202401R1250  |
| EAN:                   | 8012542785101  |
| Catalog Description:   | F202 A-25/0,03 AP-R Res. Current Dev.  |
| Long Description:      | The RCCBs F200 series assures protection to people and installations against fault current to earth. A large offer for standard instantaneous and selective AC and A types is completed with some configurations for special applications. This product provides the best compromise between safety and continuity in the service, thanks to the resistance to unwanted trippings. |

### Categories

Products » Low Voltage Products and Systems » Modular DIN Rail Products » Residual Current Devices RCDs » Residual Current Devices RCDs

### Ordering

|                         |               |
|-------------------------|---------------|
| EAN:                    | 8012542785101 |
| Minimum Order Quantity: | 1 piece       |
| Customs Tariff Number:  | 85363030      |

### Dimensions

|                     |          |
|---------------------|----------|
| Product Net Width:  | 0.035 m  |
| Product Net Height: | 0.085 m  |
| Product Net Depth:  | 0.069 m  |
| Product Net Weight: | 0.200 kg |

### Container Information

|                               |               |
|-------------------------------|---------------|
| Package Level 1 Units:        | 1 piece       |
| Package Level 1 Width:        | 0.041 m       |
| Package Level 1 Height:       | 0.078 m       |
| Package Level 1 Length:       | 0.096 m       |
| Package Level 1 Gross Weight: | 0.225 kg      |
| Package Level 1 EAN:          | 8012542785101 |

### Technical

|                           |  |
|---------------------------|--|
| Standards:                | EN 61008<br>UL 1053                        |
| Operating Characteristic: | Instantaneous (APR High Immunity)          |
| Type of Residual Current: | A type                                     |
| Rated Residual Current:   | 30 mA                                      |
| Rated Current ( $I_n$ ):  | 25 A                                       |
| Number of Poles:          | 2  |
| Power Loss:               | at Rated Operating Conditions per Pole 1 W |
| Rated Voltage ( $U_r$ ):  | 230/400 V                                  |

### Environmental

|              |   |
|--------------|---|
| RoHS Status: | Planned to follow EU Directive 2002/95/EC August 18, 2005 and amendment after 2007 Q3 |
|--------------|---|

### Certificates and Declarations (Document Number)

|                                 |                 |
|---------------------------------|-----------------|
| Declaration of Conformity - CE: | ITSCE116F200    |
| RoHS Information:               | 2CSC423001K0201 |

### Classifications

|                             |  |
|-----------------------------|--|
| Object Classification Code: | Q  |
| ETIM 4:                     | EC000003 - Residual current circuit breaker (RCCB) |
| ETIM 5:                     | EC000003 - Residual current circuit breaker (RCCB) |





**Automatización Eléctrica**  
Especialistas en Automatización

Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

| Product                               | Code            | Reference        | Product link               |
|---------------------------------------|-----------------|------------------|----------------------------|
| F202 A-25/0,03 AP-R Res. Current Dev. | 2CSF202401R1250 | F202A-25/0,03APR | <a href="#">Buy on EAN</a> |