



**Automatización Eléctrica**

Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#)

## General Information

|                        |  |
|------------------------|--|
| Extended Product Type: | F204 A S-63/1  |
| Product ID:            | 2CSF204201R5630  |
| EAN:                   | 8012542823605  |
| Catalog Description:   | F204 A S-63/1 Residual Current Dev.  |
| Long Description:      | The RCCBs F200 series assures protection to people and installations against fault current to earth. A large offer for standard instantaneous and selective AC and A types is completed with some configurations for special applications. |

## Categories

Products » Low Voltage Products and Systems » Modular DIN Rail Products » Residual Current Devices RCDs » Residual Current Devices RCDs

## Ordering

|                         |               |
|-------------------------|---------------|
| EAN:                    | 8012542823605 |
| Minimum Order Quantity: | 1 piece       |
| Customs Tariff Number:  | 85363030      |

## Dimensions

|                     |          |
|---------------------|----------|
| Product Net Width:  | 0.070 m  |
| Product Net Height: | 0.085 m  |
| Product Net Depth:  | 0.069 m  |
| Product Net Weight: | 0.360 kg |

## Container Information

|                               |               |
|-------------------------------|---------------|
| Package Level 1 Units:        | 1 piece       |
| Package Level 1 Width:        | 0.082 m       |
| Package Level 1 Height:       | 0.078 m       |
| Package Level 1 Length:       | 0.096 m       |
| Package Level 1 Gross Weight: | 0.403 kg      |
| Package Level 1 EAN:          | 8012542823605 |

## Technical

|                                |  |
|--------------------------------|--|
| Standards:                     | EN 61008<br>UL 1053                          |
| Operating Characteristic:      | Selective                                    |
| Type of Residual Current:      | A type                                       |
| Rated Residual Current:        | 1000 mA                                      |
| Rated Current ( $I_n$ ):       | 63 A   |
| Number of Poles:               | 4  |
| Position of Neutral Terminals: | Right  |
| Power Loss:                    | at Rated Operating Conditions per Pole 4.4 W |
| Rated Voltage ( $U_r$ ):       | 230/400 V                                    |

## Environmental

|              |   |
|--------------|---|
| RoHS Status: | Planned to follow EU Directive 2002/95/EC August 18, 2005 and amendment after 2007 Q3 |
|--------------|---|

## Certificates and Declarations (Document Number)

|                                 |                 |
|---------------------------------|-----------------|
| Declaration of Conformity - CE: | ITSCE116F200    |
| RoHS Information:               | 2CSC423001K0201 |

## Classifications

|                             |  |
|-----------------------------|--|
| Object Classification Code: | Q  |
| ETIM 4:                     | EC000003 - Residual current circuit breaker (RCCB) |
| ETIM 5:                     | EC000003 - Residual current circuit breaker (RCCB) |





**Automatización Eléctrica**  
Especialistas en Automatización

Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

| Product                             | Code            | Reference   | Product link               |
|-------------------------------------|-----------------|-------------|----------------------------|
| F204 A S-63/1 Residual Current Dev. | 2CSF204201R5630 | F204AS-63/1 | <a href="#">Buy on EAN</a> |