



Automatización Eléctrica

Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#)

General Information

| | |
|------------------------|---|
| Extended Product Type: | F204 B-40/0,5 |
| Product ID: | 2CSF204592R4400 |
| EAN: | 8012542776932 |
| Catalog Description: | F204 B-40/0,5 Residual Current Dev. |
| Long Description: | The RCCBs F200 series assures protection to people and installations against fault current to earth. A large offer for standard instantaneous and selective AC and A types is completed with some configurations for special applications. This product is particularly suitable for the protection against smooth d.c. earth fault currents. |

Categories

Products » Low Voltage Products and Systems » Modular DIN Rail Products » Residual Current Devices RCDs » Residual Current Devices RCDs

Ordering

| | |
|-------------------------|---------------|
| EAN: | 8012542776932 |
| Minimum Order Quantity: | 1 piece |
| Customs Tariff Number: | 85363030 |

Dimensions

| | |
|---------------------|----------|
| Product Net Width: | 0.072 m |
| Product Net Height: | 0.085 m |
| Product Net Depth: | 0.069 m |
| Product Net Weight: | 0.500 kg |

Container Information

| | |
|-------------------------------|---------------|
| Package Level 1 Units: | 1 piece |
| Package Level 1 Width: | 0.073 m |
| Package Level 1 Height: | 0.078 m |
| Package Level 1 Length: | 0.09 m |
| Package Level 1 Gross Weight: | 0.525 kg |
| Package Level 1 EAN: | 8012542776932 |

Technical

| | |
|----------------------------------|---|
| Standards: | EN 61008 |
| Operating Characteristic: | Instantaneous |
| Type of Residual Current: | B type |
| Rated Residual Current: | 500 mA |
| Rated Current (I _n): | 40 A |
| Number of Poles: | 4 |
| Position of Neutral Terminals: | Right |
| Power Loss: | at Rated Operating Conditions per Pole 1.81 W |

Certificates and Declarations (Document Number)

| | |
|---------------------------------|-----------------|
| Declaration of Conformity - CE: | 2CSC423009D2701 |
| RoHS Information: | 2CSC423006K2701 |

Classifications

| | |
|-----------------------------|--|
| Object Classification Code: | Q |
| ETIM 4: | EC000003 - Residual current circuit breaker (RCCB) |
| ETIM 5: | EC000003 - Residual current circuit breaker (RCCB) |





Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

| Product | Code | Reference | Product link |
|-------------------------------------|-----------------|------------------|----------------------------|
| F204 B-40/0,5 Residual Current Dev. | 2CSF204592R4400 | F204B-40/0,5 | Buy on EAN |