



At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking <u>HERE</u>



## **General Information**

 Extended Product Type:
 CT8/2500

 Product ID:
 2CSG521240R1101

 EAN:
 8012542607502

Catalog Description: Iprim 2500 A

Long Description: CT8/2500 is used to transform primary currents to../5A secondary currents for c.a.

measurement instruments

## Categories

Products » Low Voltage Products and Systems » Modular DIN Rail Products » Modular DIN Rail Components MDRCs » Modular Measuring Instruments

## Ordering

EAN:	8012542607502
Minimum Order Quantity:	1 piece
Customs Tariff Number:	85363030

### **Dimensions**

Product Net Width:	0.090 m
Product Net Height:	0.135 m
Product Net Depth:	0.145 m
Product Net Weight:	1.000 kg

#### **Container Information**

Package Level 1 Units:	1 piece
Package Level 1 Gross Weight:	0.500 kg
Package Level 2 Units:	1 piece
Package Level 2 Gross Weight:	0.500 kg

## **Technical**

Mounting Type:	Through primary
Cable Use:	Cable and Horizontal bar
Cable Cross-Section:	2 x 30 mm
Rated Cross-Section:	80 x 30 mm
Rated Primary Current (Ipn):	2500 A

# Environmental

RoHS Status:	Following EU Directive 2002/95/EC August 18, 2005 and amendment	
--------------	---	--

## **Certificates and Declarations (Document Number)**

Declaration of Conformity - CE:	ITSCE115CT
RoHS Information:	2CSC445004K0201

# Classifications

ETIM 4:	EC002048 - Current transformer
ETIM 5:	EC002048 - Current transformer







Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, click on the green button.

Product	Code	Reference	Product link
Iprim 2500 A	2CSG521240R1101	CT8/2500	Buy on EAN