



At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking <u>HERE</u>



General Information

Extended Product Type: TSM

 Product ID:
 2CSM100000R0841

 EAN:
 8012542007005

Catalog Description: TSM Bells and buzzers

Long Description: Bell characterized by discontinuous use through one or more pushbuttons, suitable for

public and tertiary acoustic signalling.

Categories

Products » Low Voltage Products and Systems » Modular DIN Rail Products » Modular DIN Rail Components MDRCs » Bells

Ordering

EAN:	8012542007005
Minimum Order Quantity:	1 piece
Customs Tariff Number:	85043121

Dimensions

Product Net Width:	0.035 m
Product Net Height:	0.085 m
Product Net Depth:	0.065 m
Product Net Weight:	0.300 kg

Container Information

Package Level 1 Units:	6 piece
Package Level 1 Width:	0.095 m
Package Level 1 Height:	0.085 m
Package Level 1 Length:	0.215 m
Package Level 1 Gross Weight:	0.994 kg
Package Level 2 Units:	6 piece
Package Level 2 Gross Weight:	1.800 kg

Technical

Rated	Operational	Voltage:	230 V AC

Power Loss: at Rated Operating Conditions per Pole 5.5 W

Environmental

RoHS Status: Following EU Directive 2002/95/EC August 18, 2005 and amendment

Certificates and Declarations (Document Number)

Declaration of Conformity - CE:	ITSCE025TSM
RoHS Information:	2CSC446002K0201

Classifications

Object Classification Code:	Н
ETIM 4:	EC001547 - Bell transformer
ETIM 5:	EC001547 - Bell transformer







Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, click on the green button.

Product	Code	Reference	Product link
TSM Bells and buzzers	2CSM100000R0841	TSM	Buy on EAN