



Automatización Eléctrica

Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#)

General Information

| | |
|------------------------|-----------------------|
| Extended Product Type: | OVR T2 N 80-275s P QS |
| Product ID: | 2CTB815708R2500 |
| EAN: | 3660308525536 |
| Catalog Description: | OVR T2 N 80-275s P QS |
| Long Description: | OVR T2 N 80-275s P QS |

Categories

Products » Low Voltage Products and Systems » Modular DIN Rail Products » Surge Protective Devices SPDs » Surge Protective Devices SPD Class II

Ordering

| | |
|-------------------------|---------------|
| Product Main Type: | T2 |
| EAN: | 3660308525536 |
| Minimum Order Quantity: | 1 piece |
| Customs Tariff Number: | 85363090 |

Technical

| | |
|---|--|
| Type of Low Voltage Distribution System: | TT TN-S |
| Nominal AC Voltage of the System (U_0): | 230 / 400 V |
| Number of Protected Poles: | 1 |
| Arrester Class: | II |
| Standards: | IEC 61643-11 / EN 61643-11 |
| Product Type: | QS |
| Remote Indicator: | No |
| Version: | Plug-in |
| Discharge Current (I_{max}): | Nominal 30 kA Maximum 80 kA Total 80 kA |
| Maximum Continuous Operating Voltage (U_c): | (L-PE) - V (L-L) - V (L-N) - V (N-PE) 275 V |
| Voltage Rating DC: | 600 V |
| Voltage Protection Level (U_p): | (L-N) - kV (N-PE) 1.3 kV (L-PE) - kV |
| Short Circuit Withstand I_{cc} : | 100 A |
| Temporary Overvoltage Test Value (U_T): | 1200 V |
| Power Loss: | 0 mW |
| Product Name: | Surge Protective Devices |
| Suitable For: | To protect the systems against the transient overvoltage (lightning) |

Dimensions

| | |
|--------------------------------------|---------|
| Product Net Width: | 17.8 mm |
| Product Net Depth: | 76.7 mm |
| Product Net Height: | 88 mm |
| Product Net Weight: | 150 g |
| Width in Number of Modular Spacings: | 1 |

Container Information

| | |
|-------------------------------|---------------|
| Package Level 1 Units: | 1 piece |
| Package Level 1 Width: | 117 mm |
| Package Level 1 Length: | 25 mm |
| Package Level 1 Height: | 82 mm |
| Package Level 1 Gross Weight: | 165 g |
| Package Level 1 EAN: | 3660308525536 |

Certificates and Declarations (Document Number)

Data Sheet, Technical Information: 2CTC432354D1701

Declaration of Conformity - CE: 2CTC436004G1701

Classifications

ETIM 4: EC000941 - Surge protection device for power supply systems

ETIM 5: EC000941 - Surge protection device for power supply systems





Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

| Product | Code | Reference | Product link |
|-----------------------|-----------------|------------------|----------------------------|
| OVR T2 N 80-275s P QS | 2CTB815708R2500 | OVRT2N80-275sPQS | Buy on EAN |