



Automatización Eléctrica Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking <u>HERE</u>

BT50T 24DC



General Information

2

Categories

 Products » Low Voltage Products and Systems » Control Products » Electronic Relays and Controls » Safety Relays

 Products » Low Voltage Products and Systems » Control Products » Safety Products » Safety Relays

Ordering

Minimum Order Quantity: 1 piece	
Customs Tariff Number: 8536411	0

Dimensions

Product Net Width:	0.0225 m
Product Net Height:	0.084 m
Product Net Depth:	0.120 m
Product Net Weight:	0.200 kg

Container Information

Package Level 1 Units:	1 piece
Package Level 1 Width:	0.091 m
Package Level 1 Height:	0.038 m
Package Level 1 Length:	0.130 m
Package Level 1 Gross Weight:	0.235 kg

Safety Information

Safety Category Acc. to ISO 13849-1: 4

Additional Information

Product Main Type:	BT
Product Name:	Safety Relay
Rated Control Supply Voltage (U _s):	24 V DC
Suitable For:	Interlocking switch/Gate/Hatch, Emergency stop, Output expansion, Delayed output

Certificates and Declarations (Document Number)

Data Sheet, Technical Information:	2TLC172001C0202_chapter06
Declaration of Conformity - CE:	2TLC172078D0201

Classifications

E-nummer:	3860141
ETIM 4:	EC001449 - Device for monitoring of safety-related circuits
ETIM 5:	EC001449 - Device for monitoring of safety-related circuits
Object Classification Code:	К







Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, <u>click on the green button</u>.

Product	Code	Reference	Product link
BT50T 24DC Safety relay	2TLA010033R1000	BT50T	Buy on EAN