



Automatización Eléctrica

Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#)

General Information

Extended Product Type:	JSHD4-4-AB
Product ID:	2TLA019995R2400
EAN:	7350024453584
Catalog Description:	JSHD4-4-AB Enabling Switch
Long Description:	Three-position device incl. LEDs and front button with Cannon connection.

Categories

Products » Low Voltage Products and Systems » Control Products » Safety Products » Safety Control Devices

Ordering

EAN:	7350024453584
Minimum Order Quantity:	1 piece
Customs Tariff Number:	85369085

Dimensions

Product Net Width:	0.034 m
Product Net Height:	0.117 m
Product Net Depth:	0.05 m
Product Net Weight:	0.338 kg

Container Information

Package Level 1 Units:	1 piece
Package Level 1 Width:	0.286 m
Package Level 1 Height:	0.103 m
Package Level 1 Length:	0.126 m
Package Level 1 Gross Weight:	0.482 kg

Safety Information

Performance Level (PL):	Up to e
Safety Category Acc. to ISO 13849-1:	4

Additional Information

Product Main Type:	JSHD4
Product Name:	Safety Control Enabling Device

Certificates and Declarations (Document Number)

Data Sheet, Technical Information:	2TLC172001C0202_chapter11
Declaration of Conformity - CE:	2TLC172022D0201

Classifications

ETIM 4:	EC002611 - Control switch
ETIM 5:	EC002611 - Control switch
Object Classification Code:	B





Automatización Eléctrica
Especialistas en Automatización

Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

Product	Code	Reference	Product link
JSHD4-4-AB Enabling Switch	2TLA019995R2400	JSHD4-4-AB	Buy on EAN