



Automatización Eléctrica Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking <u>HERE</u>

JSTD1-A



| General Information Extended Product Type: | JSTD1-A |
|---|---|
| Product ID: | 2TLA020007R3000 |
| EAN: | 7350024460193 |
| Catalog Description: | JSTD1-A Safeball 2m cable |
| Long Description: | JSTD1-A Safeballs each have 1NO & 1NC independent switches, maximum load of 30VDC · 2A resistive. Ergonomic design with several grip possibilities and low activation force (approx. 2N) and flexible mounting options. Provides highest level of safety for use in two hand control applications when using two Safeballs in conjunction with a JSBR4 safety relay or Pluto Safety PLC. IP67 protection degree, plastic body, 2 meters molded cable. |

Categories

| Products » | Low Voltage Products and Systems | » | Control Products | » | Safety Products | » | Safety Control Devices | |
|------------|----------------------------------|---|------------------|---|-----------------|---|------------------------|--|
|------------|----------------------------------|---|------------------|---|-----------------|---|------------------------|--|

| Ordering | |
|--|--------------------------------|
| EAN: | 7350024460193 |
| Minimum Order Quantity: | 1 piece |
| Customs Tariff Number: | 85365011 |
| Dimensions | |
| Product Net Width: | 0.18 m |
| Product Net Height: | 0.17 m |
| Product Net Depth: | 0.18 m |
| Product Net Weight: | 0.38 kg |
| Container Information | |
| Package Level 1 Units: | 1 piece |
| Package Level 1 Width: | 0.150 m |
| Package Level 1 Height: | 0.185 m |
| Package Level 1 Length: | 0.150 m |
| Package Level 1 Gross Weight: | 0.460 kg |
| Package Level 1 EAN: | 7350024460193 |
| Package Level 2 Units: | 2 piece |
| Package Level 2 Width: | 0.163 m |
| Package Level 2 Height: | 0.235 m |
| Package Level 2 Length: | 0.18 m |
| Package Level 2 Gross Weight: | 0.551 kg |
| Package Level 2 EAN: | 7350024460209 |
| Safety Information | |
| Performance Level (PL): | Up to e |
| Safety Category Acc. to ISO 13849-1 | |
| ould you agoly Acc. to loo 10040-1 | • • |
| Additional Information | |
| Product Main Type: | JSTD20 |
| Product Name: | Two Hand Safety Control Device |
| Certificates and Declarations (Declarations) | acument Number) |
| Data Sheet, Technical Information: | |
| Declaration of Conformity - CE: | 2TLC172023D0201 |
| | |
| Classifications | |
| ETIM 4: | EC002611 - Control switch |
| ETIM 5: | EC002611 - Control switch |
| Object Classification Code: | В |
| | |

No image available





Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, <u>click on the green button</u>.

| Product | Code | Reference | Product link |
|---------------------------|-----------------|-----------|--------------|
| JSTD1-A Safeball 2m cable | 2TLA020007R3000 | JSTD-1A | Buy on EAN |