



Electric Automation
Automation specialists

Reference: IPM2G
Code: 1SBV001106R1823

IPM2G Foot Switch

Buy it at Electric Automation Network



IPM2G Foot Switch

Ordering

EAN:	3471522009050
Minimum Order Quantity:	1 piece
Customs Tariff Number:	85369085

Dimensions

Product Net Weight:	0.130 kg
---------------------	----------


Container Information

Package Level 1 Units:	1 piece
Package Level 1 Width:	103 mm
Package Level 1 Height:	77 mm
Package Level 1 Length:	36 mm
Package Level 1 Gross Weight:	0.13 kg
Package Level 1 EAN:	3471522009050

Environmental

Ambient Air Temperature:	Operation -10 ... +70 °C Storage -25 ... +80 °C
--------------------------	--

Additional Information

Action Type of the Contact Element (acc. to IEC 60947-5-1):	snap action contacts
Actuation Torque:	acc. to IEC 60947-5-1 Min. 1.20 N·m
Base Color:	Grey
Connecting terminals (delivered in open position):	M3 x 0.5 screw with Phillips head  1 and washer
Contact Element Form (acc. to IEC 60947-5-1):	C
Conventional Free-air Thermal Current (I_{th}):	acc. to IEC 60947-5-1, $q = 40\text{ °C}$ 15.0 A
Cover Color:	grey
Degree of Protection:	acc. to IEC 60529 IP40
Electrical Durability:	100000
IIT Publishing Status:	Level 0 - Information enabled
Number of Auxiliary Contacts NC:	1
Number of Auxiliary Contacts NO:	1
Operating Angle of the Foot Switch Pedal:	2 to 4 °
Operating Format:	free movement
Product Main Type:	Foot Switches
Product Name:	Foot Switch
Rated Impulse Withstand Voltage (U_{imp}):	1 kV
Rated Insulation Voltage (U_i):	acc. to IEC 60947-5-1 and VDE 0110 (Gr. C) 250 V
Rated Operational Current AC (I_e):	(250 V) 50 / 60 Hz 3 A
Rated Operational Current DC (I_e):	(230 V) 0.06 A
Resistance Between Contacts:	30 mΩ
Standards:	IEC 61058-1

Certificates and Declarations (Document Number)

Data Sheet, Technical Information:	1SBC001699R1002
Declaration of Conformity - CE:	1SBD250883C2000

Classifications

ETIM 4:	EC001829 - Position switch modular
ETIM 5:	EC001829 - Position switch modular
UNSPSC:	39121500