



Electric Automation
Automation specialists

Reference: CL-LDC.SDC2
Code: 15VR440841R0000

CL-LDC.SDC2 Remote display connection
m. 5m, length adaptable, 24VDC

Buy it at [Electric Automation Network](#)



The CL-LDC.SDC2 is a remote display connection module from the CL range. It is suitable to displace the display from the logic relay and operates with an input voltage of 24 V DC. The package includes the connecting cable CL-LAD.TK007 with a length of 5 m. The length is adaptable.

Ordering

| | |
|-------------------------|---------------|
| EAN: | 4013614389863 |
| Minimum Order Quantity: | 1 piece |
| Customs Tariff Number: | 85362010 |

Container Information

| | |
|-------------------------------|----------|
| Package Level 1 Units: | 1 piece |
| Package Level 1 Width: | 112 mm |
| Package Level 1 Height: | 84 mm |
| Package Level 1 Length: | 94 mm |
| Package Level 1 Gross Weight: | 0.224 kg |

Dimensions

| | |
|---------------------|----------|
| Product Net Width: | 75 mm |
| Product Net Depth: | 36.2 mm |
| Product Net Height: | 58 mm |
| Product Net Weight: | 0.164 kg |

Technical

| | |
|----------------------------|-------------------|
| Function: | Remote display |
| Sub-Function: | Connection module |
| Rated Operational Voltage: | 24 V DC |

Environmental

| | |
|--------------|---|
| RoHS Status: | Following EU Directive 2002/95/EC August 18, 2005 and amendment |
|--------------|---|

Certificates and Declarations (Document Number)

| | |
|---------------------------------|-----------------|
| CSA Certificate: | CSA_1875990 |
| Declaration of Conformity - CE: | 1SAD938500-0110 |
| GL Certificate: | GL_44544-07HH |
| GOST Certificate: | GOST_0197271 |
| LR Certificate: | LR_07_20019 |
| RoHS Information: | 1SAA981046-4401 |
| UL Certificate: | UL_E179811 |

Classifications

| | |
|-----------------------------|-------------------------|
| Object Classification Code: | K |
| ETIM 4: | EC001417 - Logic module |
| ETIM 5: | EC001417 - Logic module |
| eClass: | 7.0 27242216 |
| UNSPSC: | 39121400 |