At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking HERE. HERE

Soft insulation, PYROPLATE® Fibre



Mineral fibre plate, pre-coated

Type	Length mm	Width mm	Height mm		Pack. pcs	Weight kg/100 pcs.	Item No.
PSX-P	1,000	600	50		4	625.000	**7202 29 5**

Mineral fibres /pc.

Mineral fibre plate, pre-coated with the ablation coating ASX, as the basis for the soft insulation.



Ablation coating in a cartridge

Type	Contents ml		Pack. pcs	Weight kg/100 pcs.	Item No.
ASX-K	300		1	50.000	**7202 31 0**

Intumescent material /pc.

Combined, endothermic and weatherproof coating for internal and external areas. Universal protection coating for cable and cable support structures. Use as direct filler, as paint when stirred. Material class DIN 4102 - B2, normally flammable.
In dry, frost-free rooms, the coating can be stored at temperatures from +5 °C to +25 °C for up to 18 months in closed, upright original containers.

Ablation coating in a bucket

Type	Contents kg		Pack. pcs	Weight kg/100 pcs.	Item No.
ASX-E	5		1	500.000	**7202 31 2**

Intumescent material /pc.

Combined, endothermic and weatherproof coating for internal and external areas. Universal protection coating for cable and cable support structures. Use as direct filler, as paint when stirred. Material class DIN 4102 - B2, normally flammable.
In dry, frost-free rooms, the coating can be stored at temperatures from +5 °C to +25 °C for up to 18 months in closed, upright original containers.

Pipe sleeve with 2 fastening straps

Type	Pipe Ø mm	Dimension h mm	Dimension D mm	Dimension d mm		Pack. pcs	Weight kg/100 pcs.	Item No.
TCX-032	32	26	50	36		1	6.500	**7202 20 0**
TCX-040	40	26	58	44		1	7.000	**7202 20 1**
TCX-050	50	26	68	54		1	8.000	**7202 20 3**

Intumescent material /pc.

Pipe sleeve for combustible pipes.
If there is a fire, fire protection inserts inside the sheet steel housing expand, exerting a very great pressure onto the burning thermoplastic pipes.
Fastening with anchors of M6 threaded rods



Pipe sleeve with 4 fastening straps

Type	Pipe Ø mm	Dimension h mm	Dimension D mm	Dimension d mm		Pack. pcs	Weight kg/100 pcs.	Item No.
TCX-063	63	26	94	67		1	15.500	**7202 20 4**
TCX-075	75	26	106	79		1	19.000	**7202 20 5**
TCX-090	90	26.6	132	94		1	37.000	**7202 20 6**
TCX-110	110	26.6	155	114		1	46.000	**7202 20 7**
TCX-125	125	40	172	129		1	70.000	**7202 20 8**

Intumescent material /pc.

Pipe sleeve for combustible pipes
If there is a fire, fire protection inserts inside the sheet steel housing expand, exerting a very great pressure onto the burning thermoplastic pipes.
Fastening with anchors of M6 threaded rods up to size 75, then M8



Pipe sleeve with 6 fastening straps

Type	Pipe Ø mm	Dimension h mm	Dimension D mm	Dimension d mm		Pack. pcs	Weight kg/100 pcs.	Item No.
TCX-140	140	40	200	144		1	106.000	**7202 20 9**
TCX-160	160	40	220	164		1	107.000	**7202 21 0**

Intumescent material /pc.

Pipe sleeve for combustible pipes
If there is a fire, fire protection inserts inside the sheet steel housing expand, exerting a very great pressure onto the burning thermoplastic pipes.
Fastening with anchors of M8 threaded rods



05_BSS_Masterkatalog_Länder_2012 / en / 17/07/2012 (LLExport_04003) / 18/07/2012

Always indicate the item number when ordering.

Automatización Eléctrica
Especialistas en Automatización

Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, click on the green button.

Product	Code	Reference	Product link
Pipe sleeve for combustible pipes, 50x26, Grey, Intumescent material	7202200	TCX-032	Buy on EAN
Pipe sleeve for combustible pipes, 58x26, Grey, Intumescent material	7202201	TCX-040	Buy on EAN
Pipe sleeve for combustible pipes, 68x26, Grey, Intumescent material	7202203	TCX-050	Buy on EAN
Pipe sleeve for combustible pipes, 94x26, Grey, Intumescent material	7202204	TCX-063	Buy on EAN
Pipe sleeve for combustible pipes, 106x26, Grey, Intumescent material	7202205	TCX-075	Buy on EAN
Pipe sleeve for combustible pipes, 132x26,6, Grey, Intumescent material	7202206	TCX-090	Buy on EAN
Pipe sleeve for combustible pipes, 155x26,6, Grey, Intumescent material	7202207	TCX-110	Buy on EAN
Pipe sleeve for combustible pipes, 172x40, Grey, Intumescent material	7202208	TCX-125	Buy on EAN
Pipe sleeve for combustible pipes, 200x40, Grey, Intumescent material	7202209	TCX-140	Buy on EAN
Pipe sleeve for combustible pipes, 220x40, Grey, Intumescent material	7202210	TCX-160	Buy on EAN
Mineral fibre plate for combination insulation, 1000x600x50, Mineral fibres	7202295	PSX-P	Buy on EAN
Ablation coating in a cartridge, 300ml, Intumescent material	7202310	ASX-K	Buy on EAN
Ablation coating in a bucket, 5kg, Intumescent material	7202312	ASX-E	Buy on EAN