



Automatización Eléctrica

Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking HERE. [HERE](#)

Data technology support, 1 module, straight outlet, Type C, without dust protection slider

Type	Colour	Pack.	Weight	Item No.
		pcs	kg/100 pcs.	
DTG-02C RW1	Pure white	1	1.000	6119 28 0
DTG-02C SWGR1	Black-grey	1	1.000	6119 28 2
DTG-02C AL1	Aluminium painted	1	1.000	6119 28 4

PC Polycarbonate

Data technology support with straight outlet and without a locking slider to accept two data technology connection modules with RJ45 socket. The locking fastening is suitable for horizontal and vertical installation in the system environment. Type C has a mounting opening of 19.30 x 14.80 mm and is designed for direct fastening of the data connection modules in the mounting opening.

The Type C data technology support (without dust protection slider) is suitable for accepting the following data connection modules: 3M: Volition K6, K10 and CAT6A.



Data technology support, 1 module, slanting outlet, Type C, without dust protection slider

Type	Colour	Pack.	Weight	Item No.
		pcs	kg/100 pcs.	
DTS-02C RW1	Pure white	1	1.400	6119 28 6
DTS-02C SWGR1	Black-grey	1	1.400	6119 28 8
DTS-02C AL1	Aluminium painted	1	1.400	6119 29 0

PC Polycarbonate

Data technology support with slanting outlet and without a locking slider to accept two data technology connection modules with RJ45 socket. The locking fastening is suitable for horizontal and vertical installation in the system environment. Type C has a mounting opening of 19.30 x 14.80 mm and is designed for direct fastening of the data connection modules in the mounting opening.

The Type C data technology support (without dust protection slider) is suitable for accepting the following data connection modules: 3M: Volition K6, K10 and CAT6A.



Data technology support, 1 module, straight outlet, Type EP

Type	Colour	Pack.	Weight	Item No.
		pcs	kg/100 pcs.	
DTG-2EP RW1	Pure white	1	1.100	6119 23 2
DTG-2EP SWGR1	Black-grey	1	1.100	6119 23 4
DTG-2EP AL1	Aluminium painted	1	1.100	6119 23 6

PC Polycarbonate

/pc.

Data technology support with straight outlet and locking slider to accept two data technology connection modules with RJ45 socket. The locking fastening is suitable for horizontal and vertical installation in the system environment. Type EP has a special module seat and is designed for indirect fastening of the data connection modules in the mounting opening.

The Type EP data technology support is suitable for accepting the following data connection modules: Leoni Kerpen: ELine 500 plus (without dust protection cap).



Data technology support, 1 module, slanting outlet, Type EP








Type	Colour	Pack.	Weight	Item No.
		pcs	kg/100 pcs.	
DTS-2EP RW1	Pure white	1	1.500	6119 26 8
DTS-2EP SWGR1	Black-grey	1	1.500	6119 27 0
DTS-2EP AL1	Aluminium painted	1	1.500	6119 27 2

PC Polycarbonate

/pc.

Data technology support with slanting outlet and locking slider to accept two data technology connection modules with RJ45 socket. The locking fastening is suitable for horizontal and vertical installation in the system environment. Type EP has a special module seat and is designed for indirect fastening of the data connection modules in the mounting opening.

The Type EP data technology support is suitable for accepting the following data connection modules: Leoni Kerpen: ELine 500 plus (without dust protection cap).





Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button](#).

Product	Code	Reference	Product link
Data technology support f.2 connection modules type EP, 45x45mm, Pure white, 9010, Polycarbonate, PC	6119232	DTG-2EP RW1	Buy on EAN
Data technology support f.2 connection modules type EP, 45x45mm, Black-grey, 7021, Polycarbonate, PC	6119234	DTG-2EP SWGR1	Buy on EAN
Data technology support f.2 connection modules type EP, 45x45mm, Aluminium painted, Polycarbonate, PC	6119236	DTG-2EP AL1	Buy on EAN
Data technology support f.2 connection modules type EP, 45x45mm, Pure white, 9010, Polycarbonate, PC	6119268	DTS-2EP RW1	Buy on EAN
Data technology support f.2 connection modules type EP, 45x45mm, Black-grey, 7021, Polycarbonate, PC	6119270	DTS-2EP SWGR1	Buy on EAN
Data technology support f.2 connection modules type EP, 45x45mm, Aluminium painted, Polycarbonate, PC	6119272	DTS-2EP AL1	Buy on EAN
Data technology support f. 2 connection modules type C, 45x45mm, Pure white, 9010, Polycarbonate, PC	6119280	DTG-02C RW1	Buy on EAN
Data technology support f. 2 connection modules type C, 45x45mm, Black-grey, 7021, Polycarbonate, PC	6119282	DTG-02C SWGR1	Buy on EAN
Data technology support f. 2 connection modules type C, 45x45mm, Aluminium painted, Polycarbonate, PC	6119284	DTG-02C AL1	Buy on EAN
Data technology support f. 2 connection modules type C, 45x45mm, Pure white, 9010, Polycarbonate, PC	6119286	DTS-02C RW1	Buy on EAN
Data technology support f. 2 connection modules type C, 45x45mm, Black-grey, 7021, Polycarbonate, PC	6119288	DTS-02C SWGR1	Buy on EAN
Data technology support f. 2 connection modules type C, 45x45mm, Aluminium painted, Polycarbonate, PC	6119290	DTS-02C AL1	Buy on EAN