



Automatización Eléctrica

Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking HERE. [HERE](#)

Universal data technology support for Modul 45®



Data technology support, 1 module, slanting outlet, Type PA


Type	Colour		Pack.	Weight	Item No.
			pcs	kg/100 pcs.	
DTS-2PA RW1	Pure white		1	1.500	6119 26 2
DTS-2PA SWGR1	Black-grey		1	1.500	6119 26 4
DTS-2PA AL1	Aluminium painted		1	1.500	6119 26 6

PC Polycarbonate

/pc.

Data technology support with slanting outlet and locking slider to accept two data technology connection modules with RJ45 socket. The locking fastening is suitable for horizontal and vertical installation in the system environment. Type PA has a special module seat and is designed for indirect fastening of the data connection modules in the mounting opening.

The Type PA data technology support is suitable for accepting the following data connection modules: Panduit: Mini-Com.




Data technology support, 1 module, straight outlet, Type RM

Type	Colour		Pack.	Weight	Item No.
			pcs	kg/100 pcs.	
DTG-2RM RW1	Pure white		1	1.100	6119 29 2
DTG-2RM SWGR1	Black-grey		1	1.100	6119 29 4
DTG-2RM AL1	Aluminium painted		1	1.100	6119 29 6

PC Polycarbonate

Data technology support with straight outlet and locking slider to accept two data technology connection modules with RJ45 socket. The locking fastening is suitable for horizontal and vertical installation in the system environment. Type RM has a special module seat and is designed for indirect fastening of the data connection modules in the mounting opening.

The Type RM data technology support is suitable for accepting the following data connection modules: Types ASM-C5, ASM-C5 G, ASM-C6 and ASM-C6 G; R&M: Cat.5 and Cat.6 modules without support plate.




Data technology support, 1 module, slanting outlet, Type RM

Type	Colour		Pack.	Weight	Item No.
			pcs	kg/100 pcs.	
DTS-2RM SWGR1	Black-grey		1	1.500	6119 30 0
DTS-2RM AL1	Aluminium painted		1	1.500	6119 30 2
DTS-2RM RW1	Pure white		1	1.500	6119 29 8

PC Polycarbonate

Data technology support with slanting outlet and locking slider to accept two data technology connection modules with RJ45 socket. The locking fastening is suitable for horizontal and vertical installation in the system environment. Type RM has a special module seat and is designed for indirect fastening of the data connection modules in the mounting opening.

The Type RM data technology support is suitable for accepting the following data connection modules: Types ASM-C5, ASM-C5 G, ASM-C6 and ASM-C6 G; R&M: Cat.5 and Cat.6 modules without support plate.




Data technology support, 1 module, straight outlet, Type LE, without dust protection slider

Type	Colour		Pack.	Weight	Item No.
			pcs	kg/100 pcs.	
DTG-02LE RW1	Pure white		1	0.900	6119 30 4
DTG-02LE SWGR1	Black-grey		1	0.900	6119 30 6
DTG-02LE AL1	Aluminium painted		1	0.900	6119 30 8

PC Polycarbonate

Data technology support with straight outlet and without a locking slider to accept two data technology connection modules with RJ45 socket. The locking fastening is suitable for horizontal and vertical installation in the system environment. Type LE has a special module seat and is designed for indirect fastening of the data connection modules in the mounting opening.

The Type LE data technology support is suitable for accepting the following data connection modules: LexCom/Schneider: LexCom 125, LexCom 250 and LexCom 500.





Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

Product	Code	Reference	Product link
Connection module Cat. 5 unscreened,	6117337	ASM-C5	Buy on EAN
Connection module Cat. 6 unscreened,	6117341	ASM-C6	Buy on EAN
Data technology support f. 2 connection modules type P, 45x45mm, Pure white, 9010, Polycarbonate, PC	6119262	DTS-2PA RW1	Buy on EAN
Data technology support f. 2 connection modules type P, 45x45mm, Black-grey, 7021, Polycarbonate, PC	6119264	DTS-2PA SWGR1	Buy on EAN
Data technology support f. 2 connection modules type P, 45x45mm, Aluminium painted, Polycarbonate, PC	6119266	DTS-2PA AL1	Buy on EAN
Data technology support f.2 connection modules type RM, 45x45mm, Pure white, 9010, Polycarbonate, PC	6119292	DTG-2RM RW1	Buy on EAN
Data technology support f.2 connection modules type RM, 45x45mm, Black-grey, 7021, Polycarbonate, PC	6119294	DTG-2RM SWGR1	Buy on EAN
Data technology support f.2 connection modules type RM, 45x45mm, Aluminium painted, Polycarbonate, PC	6119296	DTG-2RM AL1	Buy on EAN
Data technology support f.2 connection modules type RM, 45x45mm, Pure white, 9010, Polycarbonate, PC	6119298	DTS-2RM RW1	Buy on EAN
Data technology support f.2 connection modules type RM, 45x45mm, Black-grey, 7021, Polycarbonate, PC	6119300	DTS-2RM SWGR1	Buy on EAN
Data technology support f.2 connection modules type RM, 45x45mm, Aluminium painted, Polycarbonate, PC	6119302	DTS-2RM AL1	Buy on EAN
Data technology support f.2 connection modules type LE, 45x45mm, Pure white, 9010, Polycarbonate, PC	6119304	DTG-02LE RW1	Buy on EAN
Data technology support f.2 connection modules type LE, 45x45mm, Black-grey, 7021, Polycarbonate, PC	6119306	DTG-02LE SWGR1	Buy on EAN
Data technology support f.2 connection modules type LE, 45x45mm, Aluminium painted, Polycarbonate, PC	6119308	DTG-02LE AL1	Buy on EAN