



**Automatización Eléctrica**

Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking HERE. [HERE](#)

# Connection clamps and connection terminals




## Gutter clamp for all bead thicknesses

Type	Fit	Pack.	Weight	Item No.
	mm	pcs	kg/100 pcs.	
<b>267 VA</b>	Rd 8-10	25	11.360	<b>5316 32 4</b>

V2A Stainless steel, grade 304 /100 pc.

- Fits all bead thicknesses
- With 1 hexagonal bolt M8 x 30
- 2 hexagonal bolts M6 x 12
- VA version also for use as bimetal conductor (holder)



## Gutter clamp for bead thickness 15–22 mm

Type	Fit	Pack.	Weight	Item No.
	mm	pcs	kg/100 pcs.	
<b>262 A-DIN FT</b>	Rd 8-10	25	19.610	<b>5316 21 9</b>

St Steel FT Hot-dip galvanised /100 pc.



- Suitable for bulge thickness 15–22 mm
- With 4 hexagonal bolts M6 x 16 (VA)



Type	Fit	Pack.	Weight	Item No.
	mm	pcs	kg/100 pcs.	
<b>262 A-DIN CU</b>	Rd 8-10	25	20.840	<b>5316 25 1</b>

Cu Copper /100 pc.

- Suitable for bulge thickness 15–22 mm
- With 4 hexagonal bolts M6 x 16 (VA)



## Roof gutter clamp for all bead thicknesses

Type	Fit	Pack.	Weight	Item No.
	mm	pcs	kg/100 pcs.	
<b>262</b>	Rd 8-10	25	20.300	<b>5316 01 4</b>

St Steel FT Hot-dip galvanised /100 pc.



- With 4 hexagonal bolts M6 x 16
- Fits all bead thicknesses



Type	Fit	Pack.	Weight	Item No.
	mm	pcs	kg/100 pcs.	
<b>262 CU</b>	Rd 8-10	25	20.940	<b>5316 15 4</b>

Cu Copper /100 pc.

- With 4 hexagonal bolts M6 x 16
- Fits all bead thicknesses




## Bi-metal roof gutter clamp for all bead thicknesses

Type	Fit	Pack.	Weight	Item No.
	mm	pcs	kg/100 pcs.	
<b>262 ZM</b>	Rd 8-10	25	23.100	<b>5316 17 0</b>

St Steel FT Hot-dip galvanised /100 pc.

- Fits all bead thicknesses
- Bi-metal for attaching round conductors aluminium or steel to roof gutters without corrosion to different metals





Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

<b>Product</b>	<b>Code</b>	<b>Reference</b>	<b>Product link</b>
Gutter clamp , Copper, Cu	5316154	262 CU	<a href="#">Buy on EAN</a>
Gutter clamp bimetal, Hot-dip galvanised, DIN EN ISO 1461, Steel, St	5316170	262 ZM	<a href="#">Buy on EAN</a>
Gutter clamp , Hot-dip galvanised, DIN EN ISO 1461, Steel, St	5316219	262 A-DIN FT	<a href="#">Buy on EAN</a>
Gutter clamp , Copper, Cu	5316251	262 A-DIN CU	<a href="#">Buy on EAN</a>
Gutter clamp , Stainless steel, grade 304, VA, 1.4301	5316324	267 VA	<a href="#">Buy on EAN</a>