



Automatización Eléctrica

Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking HERE. [HERE](#)

Accessories, upper parts and bases V20


Surge protection, arrester, type 2



Upper part, surge arrester 335 V

Type	Max. continuous operating voltage V	U max DC V	Version	Pack. pcs	Weight kg/100 pcs.	Item No.
V20-C 0-335	335	420	1-pole	1	5.550	5099 85 0


/pc.



Upper part, surge arrester 385 V

Type	Max. continuous operating voltage V	U max DC V	Version	Pack. pcs	Weight kg/100 pcs.	Item No.
V20-C 0-385	385	505	1-pole	1	5.830	5099 59 5


/pc.



Upper part, surge arrester 440 V

Type	Max. continuous operating voltage V	U max DC V	Version	Pack. pcs	Weight kg/100 pcs.	Item No.
V20-C 0-440	440	585	1-pole	1	6.450	5099 70 6


/pc.




Upper part, surge arrester 550 V

Type	Max. continuous operating voltage V	U max DC V	Version	Pack. pcs	Weight kg/100 pcs.	Item No.
V20-C 0-550	550	745	1-pole	1	6.450	5099 61 7


/pc.




V20-C 0-335




V20-C 0-385



V20-C 0-440



V20-C 0-550



Max. continuous operating voltage	U_c	V	335	385	440	550
U max DC	U_c	DC V	420	505	585	745
SPD to EN 61643-11			Type 2	Type 2	Type 2	Type 2
SPD to IEC 61643-11			class II	class II	class II	class II
Lightning protection Zone LPZ			1→2	1→2	1→2	1→2
Nominal discharge current (8/20)	I_n	kA	20	20	20	15
Maximum discharge current	I_{max}	kA	40	40	40	40
Voltage protection level	U_p	kV	< 1,4	< 1,7	< 2,0	< 2,4
Response time	t_A	ns	< 25	< 25	< 25	< 25
Maximum back-up fuse		A	125	125	125	125
Temperature range	ϑ	°C	-40 - +80	-40 - +80	-40 - +80	-40 - +80
Degree of protection of enclosure			IP 20	IP 20	IP 20	IP 20
Division unit TE (17.5 mm)			1	1	1	1
Item No.			5099 85 0	5099 59 5	5099 70 6	5099 61 7



Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button](#).

Product	Code	Reference	Product link
SurgeController V20 plug-in arrester, 385V,	5099595	V20-C 0-385	Buy on EAN
SurgeController V20 plug-in arrester, 550V,	5099617	V20-C 0-550	Buy on EAN
SurgeController V20 plug-in arrester, 440V,	5099706	V20-C 0-440	Buy on EAN
SurgeController V20 plug-in arrester, 335V,	5099850	V20-C 0-335	Buy on EAN