



At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking HERE. <u>HERE</u>

Absolute Rotary Encoder

E6F-A

Rugged construction providing high-precision timing detection for automatic machines operation

- Stronger shaft and higher durability (120 N in radial direction and 50 N in thrust direction) than previous E6F Encoders.
- Drip-proof construction meets IP64F standards
- High resolution models (1024 pulses max. per revolution)
- Faster response for high-speed control applications (grey code: 20 kHz).
- Shock resistance strengthened by metal disk. (Patent)



Ordering Information

Sensors

Supply voltage	Output form	Output code	Resolution (pulses/revolution)	Connection method	Model
12 to 24 VDC	NPN open collector	BCD	360	Pre-wired	E6F-AB5C
				Connector type	E6F-AB5C-C
	PNP open collector			Pre-wired	E6F-AB5B
		Gray code	256, 360, 720, 1,024	Pre-wired	E6F-AG5B

Note: 1 .For order placement add the resolution (pulses per revolution) between the part number. For example, E6F-AG5B 256 P/R. 2 .E6F-AB5C-C applied for rotary positioner connection.

Accessories (Order Separately)


Item	Model	Remarks	
	E69-C10B	Supplied with pre-wired models	
Coupling	E69-C610B	Different end diameter	
	E69-C10M	Metal construction	
Mounting Bracket	E69-2	Supplied with the product (set of 3)	
Extension Cable	E69-DF5	Standard stock models: 5 m, 10 m. In addition to this 15 m, 20 m and 98 m are available.	

E6F-A E-13

Dimensions (Unit: mm)


Sensors

E6F-AB5C E6F-AG5B E6F-AB5B



E69-C10B is attached.

E6F-AB5C-C



E69-C10B is sold separately.

ALL DIMENSIONS SHOWN ARE IN MILLIMETERS.

To convert millimeters into inches, multiply by 0.03937. To convert grams into ounces, multiply by 0.03527.

Cat. No. E283-E2-02-X

In the interest of product improvement, specifications are subject to change without notice.





Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, click on the green button.

Product	Code	Reference	Product link
	231265		Buy on EAN
	118970		Buy on EAN