



**Automatización Eléctrica**  
Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#). [HERE](#)

# Voltage tester - PROFIPOL - 1209101

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Voltage tester, for DC and AC voltages of 6 V to 400 V, IP65

## Why buy this product

- Shock-proof, dust-proof, and splash-proof housing, IP65
- DC and AC voltage tests in the range from 6 V to 400 V
- Polarity test (+/-) for DC voltage
- LED indicator

## Key Commercial Data

|              |                     |
|--------------|---------------------|
| Packing unit | 1 STK               |
| GTIN         | <br>4 046356 309899 |

## Technical data

### Ambient conditions

|                                 |                  |
|---------------------------------|------------------|
| Ambient temperature (operation) | -10 °C ... 55 °C |
| Degree of protection            | IP65             |

### General

|                           |   |
|---------------------------|---|
| Color                     | black   |
| Voltage supply            | 2 x micro battery 1.5 V, LR03, AAA                            |
| Test certificate          | EN/IEC 61243-3 (VDE 0682 Part 401)                            |
| Display scope             | 12 V, 24 V, 50 V, 120 V, 230 V, 400 V AC/DC diode display LED |
| Phase display             | LED   |
| Polarity display          | LED (symbol "+/-")  |
| Innenwiderstand_Messkreis | 130.00 kΩ   |
| Minimum voltage           | 6 V DC  |
| Max. voltage              | 400 V DC  |
| Minimum voltage           | 6 V AC  |
| Max. voltage              | 400 V AC  |

# Voltage tester - PROFIPOL - 1209101

## Classifications

### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.0 | 27200312 |
| eCl@ss 4.1 | 27200301 |
| eCl@ss 5.0 | 27200301 |
| eCl@ss 5.1 | 27200301 |
| eCl@ss 6.0 | 27200301 |
| eCl@ss 7.0 | 27200301 |
| eCl@ss 8.0 | 27200308 |

### ETIM

|          |          |
|----------|----------|
| ETIM 2.0 | EC000149 |
| ETIM 3.0 | EC000149 |
| ETIM 4.0 | EC000494 |
| ETIM 5.0 | EC000494 |

### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 30211811 |
| UNSPSC 7.0901 | 39121410 |
| UNSPSC 11     | 39121410 |
| UNSPSC 12.01  | 39121410 |
| UNSPSC 13.2   | 39121410 |

## Approvals

### Approvals

---

Approvals

EAC

---

Ex Approvals

---

Approvals submitted

---

### Approval details

|     |
|-----|
| EAC |
|-----|

---

Phoenix Contact 2016 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>



Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

| Product  | Code    | Reference | Product link               |
|--|---------|-----------|----------------------------|
| Voltage tester, for DC and AC voltages of 6 V to 400 V, IP65 | 1209101 | PROFIPOL  | <a href="#">Buy on EAN</a> |