



Automatización Eléctrica
Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#). [HERE](#)

Philips screwdriver - SF-PHSL 1-80 VDE - 1212283

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Screwdriver, positive/negative PH slot, VDE-isolated, size: PH 1 x 80, two component handle, with non-slip grip

Why buy this product

- VDE approval
- Screwdrivers for Phillips screws with Pozidriv and Phillips Recess screw head

Key Commercial Data

| | |
|--------------|---|
| Packing unit | 10 STK |
| GTIN |  4 046356 455183 |

Technical data

Dimensions

| | |
|--------------|--------|
| Length (b) | 178 mm |
| Width (a) | 26 mm |
| Blade height | 80 mm |

General

| | |
|---------------|--------------------|
| Type | Phillips |
| | Straight |
| Material | Alloyed tool steel |
| Test standard | IEC 60900:2004 |

Standards and Regulations

| | |
|---------------|----------------|
| Test standard | IEC 60900:2004 |
|---------------|----------------|

Classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 4.0 | 21040301 |
| eCl@ss 4.1 | 21040301 |
| eCl@ss 5.0 | 21040301 |
| eCl@ss 5.1 | 21040301 |

Philips screwdriver - SF-PHSL 1-80 VDE - 1212283

Classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 6.0 | 21043811 |
| eCl@ss 7.0 | 21043811 |
| eCl@ss 8.0 | 21040406 |

ETIM

| | |
|----------|----------|
| ETIM 4.0 | EC000144 |
| ETIM 5.0 | EC000144 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 27112118 |
| UNSPSC 7.0901 | 27111518 |
| UNSPSC 11 | 23171604 |
| UNSPSC 12.01 | 27111518 |
| UNSPSC 13.2 | 27111518 |

Approvals

Approvals


Approvals

VDE Zeichengenehmigung / EAC

Ex Approvals

Approvals submitted

Approval details

| |
|--|
| VDE Zeichengenehmigung  |
|--|

| |
|-----|
| EAC |
|-----|

Drawings

Pictogram



Phoenix Contact 2016 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>

Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button](#).

| Product | Code | Reference | Product link |
|---|-------------|---------------------|----------------------------|
| Screwdriver, positive/negative PH slot, VDE-isolated, size: PH 1 x 80, two component handle, with non-slip grip | 1212283 | SF-PHSL 1-80 VDE | Buy on EAN |