



**Automatización Eléctrica**  
Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#). [HERE](#)

## Tool bag, equipped - TOOL-CARRIER - 1212503

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Toolbag, equipped with: cable cutter, side cutter, stripping pliers, NYM stripping tool, sheathing tool, crimping pliers, crimper for ferrules, combination, needle-nosed and water pump pliers, VDE screwdriver slot: 0.4 x 2.5/0.5 x 3.0/1.0 x 4.0/1.0 x 6.5 crosshead: PHO/PH1/PH2, voltage tester, control cabinet key, blade, tape measure, toolbag

### Why buy this product

- Rugged and heavy-duty tool bags
- Universal tool sets, with cutting, stripping, crimping, and testing tools from the TOOL fox tool range

### Key Commercial Data

Packing unit	1 STK
GTIN	 4 046356 528399

### Technical data

#### Dimensions

Length (b)	290 mm
Width (a)	185 mm
Height	220 mm

### Articles in set

#### Diagonal cutter - CUTFOX-S VDE - 1212207



Diagonal cutter for copper and aluminum conductors, VDE 1000 V AC/ 1500 V DC-tested

#### Cable-cutting tool - CUTFOX 18 - 1212129



Cable cutter, angled, for copper and aluminum up to 18 mm diameter (up to 50 mm<sup>2</sup>)

## Tool bag, equipped - TOOL-CARRIER - 1212503

### Articles in set

---

Stripping tool - WIREFOX 10 VDE - 1212366



Stripping pliers, for stripping conductors with a cross section of up to 10 mm<sup>2</sup>, VDE-tested

---

Stripping tool - WIREFOX-D 13 - 1212162



Stripping tool, for stripping installation lines of Ø 8 - 13 mm, e.g. NYM 3 x 1.5 mm<sup>2</sup> to 5 x 2.5 mm<sup>2</sup>, single line stripping 0.2 mm<sup>2</sup> - 4 mm<sup>2</sup>, with longitudinal cut blade and sliding knife

---

Stripping tool - WIREFOX-D 28 - 1212174



Stripping tool, for stripping lines of Ø 8 - 28 mm

---

Crimping pliers - CRIMPFOX-M - 1212072



Basic pliers, for accommodating dies for a wide range of type of contacts

---

Replacement die - CRIMPFOX-M 10/DIE - 1212080



Die, for Crimpfox-M, for ferrules 0.25 - 10 mm<sup>2</sup>, packed in a serial storage box

---

## Tool bag, equipped - TOOL-CARRIER - 1212503

### Articles in set

Tool - UNIFOX-CE VDE - 1212203



Combination pliers, angled design, with opening spring and locking device, cross-notched grip area, integrated M8 - M10 ring wrench, VDE 1000 V AC/1500 V DC tested

---

Tool - UNIFOX-P VDE - 1212204



Needle-nose pliers with blade, notched grip area, VDE 1000 V AC/1500 V DC tested

---

Tool - UNIFOX-WP - 1212365



Water pump pliers, with groove joint, grip areas with dual notching, acc. to VDE ISO 8976

---

Screwdriver - SZS 0,4X2,5 VDE - 1205037



Screwdriver, slot-headed, VDE insulated, size: 0.4 x 2.5 x 80 mm, 2-component grip, with non-slip grip

---

Screwdriver - SZS 0,5X3,0 VDE - 1207404



Screwdriver, slot-headed, VDE insulated, size: 0.5 x 3.0 x 100 mm, 2-component grip, with non-slip grip

---

## Tool bag, equipped - TOOL-CARRIER - 1212503

### Articles in set

Screwdriver - SZS 1,0X4,0 VDE - 1205066



Screwdriver, slot-headed, VDE insulated, size: 1.0 x 4.0 x 100 mm, 2-component grip, with non-slip grip

---

Screwdriver - SZS 1,0X6,5 VDE - 1205079



Screwdriver, slot-headed, VDE insulated, size: 1.0 x 6.5 x 150 mm, 2-component grip, with non-slip grip

---

Screwdriver - SZK PH0 VDE - 1205147



Screwdriver, PH crosshead, VDE insulated, size: PH 0 x 80 mm, 2-component grip, with non-slip grip

---

Screwdriver - SZK PH1 VDE - 1205150



Screwdriver, PH crosshead, VDE insulated, size: PH 1 x 80 mm, 2-component grip, with non-slip grip

---

Screwdriver - SZK PH2 VDE - 1205163



Screwdriver, PH crosshead, VDE insulated, size: PH 2 x 100 mm, 2-component grip, with non-slip grip

---

# Tool bag, equipped - TOOL-CARRIER - 1212503

## Articles in set

Voltage tester - PROFIPOL - 1209101



Voltage tester, for DC and AC voltages of 6 V to 400 V, IP65

Control cabinet key - USS 4 - 1203149



Control cabinet key, metal, for all common types of control cabinet

Tool bag, unequipped - TOOL-CARRIER EMPTY - 1212499



Tool bag, unequipped

## Classifications

### eCl@ss

eCl@ss 4.0	21043074
eCl@ss 4.1	21043074
eCl@ss 5.0	21049090
eCl@ss 5.1	21049090
eCl@ss 6.0	21049090
eCl@ss 7.0	21049090
eCl@ss 8.0	21045003

### ETIM

ETIM 3.0	EC000149
ETIM 4.0	EC000149
ETIM 5.0	EC000149

### UNSPSC

UNSPSC 6.01	30211811
UNSPSC 7.0901	39121410
UNSPSC 11	39121410

## Tool bag, equipped - TOOL-CARRIER - 1212503

### Classifications

#### UNSPSC

UNSPSC 12.01	39121410
UNSPSC 13.2	39121410

Phoenix Contact 2016 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>



Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

Product	Code	Reference	Product link
Toolbag, equipped with: cable cutter, side cutter, stripping pliers, NYM stripping tool, sheathing tool, crimping pliers, crimper for ferrules, combination, needle-nosed and water pump pliers, VDE screwdriver slot: 0.4 x 2.5/0.5 x 3.0/1.0 x 4.0/1.0 x 6.5 crosshead: PHO/PH1/PH2, voltage tester, control cabinet key, blade, tape measure, toolbag	1212503	TOOL-CARRIER	<a href="#">Buy on EAN</a>