



Automatización Eléctrica

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking HERE. <u>HERE</u>



Torque screwdriver - TSD 08 SAC - 1212597

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Torque screw driver with preset torque of 0.8 Nm, with 4 mm hexagon for accommodating SAC bits, twocomponent handle with non-slip grip

The figure shows the TSD 04 SAC version

Why buy this product

- Wide range of SAC... nuts for various different applications
- For the TSD-M... torque screwdrivers, the torque can be custom-set
- TSD ... SAC torque screwdrivers with a range of preset torques from 0.2 Nm to 2.5 Nm
- The TSD-M... adapters can accommodate the various nuts

Key Commercial Data

Packing unit	1 STK	
GTIN	4 046356 590716	

Technical data

Dimensions

Length (b)	205 mm
Width (a)	37 mm
Blade height	100 mm

General

Color	black
Туре	Hexagonal SW4
Material	Alloyed tool steel

Classifications

eCl@ss

eCl@ss 4.0	21043074
eCl@ss 4.1	21043074
eCl@ss 5.0	21040290
eCl@ss 5.1	21040290



Torque screwdriver - TSD 08 SAC - 1212597

Classifications

eCl@ss

eCl@ss 6.0	21040290
eCl@ss 7.0	21040290
eCl@ss 8.0	21040222

ETIM

ETIM 4.0	EC000149
ETIM 5.0	EC002132

UNSPSC

UNSPSC 6.01	27111701
UNSPSC 7.0901	27111701
UNSPSC 11	27111701
UNSPSC 12.01	27111701
UNSPSC 13.2	27111701

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approvals submitted

Approval details

EAC

Phoenix Contact 2016 © - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany Tel. +49 5235 300 Fax +49 5235 3 41200 http://www.phoenixcontact.com





Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, <u>click on the green button</u>.

Product	Code	Reference	Product link
Torque screw driver with preset torque of 0.8 Nm, with 4 mm hexagon for accommodating SAC bits, two-component handle with non-slip grip	1212597	TSD 08 SAC	Buy on EAN