



**Automatización Eléctrica**  
Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#). [HERE](#)

## Stripping tool - WIREFOX 16 CUS - 1212761

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Stripping tool, laser marked according to customer specifications, for cables and conductors from 4 - 16 mm<sup>2</sup>, self-adjusting, stripping length of up to 18 mm, cutting capacity of up to 10 mm<sup>2</sup> stranded/1.5 mm<sup>2</sup> solid, replaceable stripping blade

The figure shows WIREFOX 4 CUS

### Product Description

Insertable stripping blades: 1212151 WIREFOX 4/SB, 1212152 WIREFOX 10/SB, and 1212314 WIREFOX 6SC/SB, direct replacement: 1212153 WIREFOX 16/SB

### Why buy this product

- Flexible, adjustable limit stop for the stripping length
- Practical integrated wire cutter
- WIREFOX ... stripping pliers feature an automatic adjustment mechanism for a wide range of different types of insulation and conductor diameters



### Key Commercial Data

|              |   |
|--------------|---|
| Packing unit | 1 STK   |
| GTIN         | <br>4 046356 942874 |

### Technical data

#### Dimensions

|                |                   |
|----------------|-------------------|
| Length (b)     | 191 mm            |
| Width (a)      | 20 mm             |
| Height         | 90 mm             |
| Cable diameter | 2.4 mm ... 4.6 mm |

#### General

|       |             |
|-------|-------------|
| Color | Black/green |
|-------|-------------|

### Classifications

eCl@ss

|            |          |
|------------|----------|
| eCl@ss 5.1 | 21040301 |
|------------|----------|

## Stripping tool - WIREFOX 16 CUS - 1212761

### Classifications

#### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 6.0 | 27371301 |
| eCl@ss 8.0 | 21043706 |

#### ETIM

|          |          |
|----------|----------|
| ETIM 2.0 | EC001186 |
| ETIM 3.0 | EC001186 |
| ETIM 4.0 | EC000163 |
| ETIM 5.0 | EC000163 |

---

Phoenix Contact 2016 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>



Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

| Product  | Code    | Reference         | Product link               |
|--|---------|-------------------|----------------------------|
| Stripping tool, laser marked according to customer specifications, for cables and conductors from 4 - 16 mm <sup>2</sup> , self-adjusting, stripping length of up to 18 mm, cutting capacity of up to 10 mm <sup>2</sup> stranded/1.5 mm <sup>2</sup> solid, replaceable stripping blade | 1212761 | WIREFOX 16<br>CUS | <a href="#">Buy on EAN</a> |