



**Automatización Eléctrica**  
Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking HERE. [HERE](#)

## Crimp contact - CK1,0-ED-0,5ST AU - 1409121

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Turned 1.0 mm crimp contact, single male contact, conductor cross section 0.14 - 0.5 mm<sup>2</sup>, gold-plated

### Key Commercial Data

Packing unit	100 STK
GTIN	 4 046356 619387

### Technical data

#### General

Note	For HC-MOT-AFL-SET
Connection method	Crimp connection
Insertion/withdrawal cycles	≥ 100
Conductor cross section	0.14 mm <sup>2</sup> ... 0.5 mm <sup>2</sup>
Connection cross section AWG	26 ... 20
Stripping length of the individual wire	4.5 mm

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 125 °C
---------------------------------	-------------------

#### Material data

Contact material	Copper alloy
Contact surface material	Gold-plated

### Classifications

#### eCl@ss

eCl@ss 4.0	272607xx
eCl@ss 4.1	27260701
eCl@ss 5.0	27143424
eCl@ss 5.1	27143424
eCl@ss 6.0	27143424
eCl@ss 7.0	27440209

# Crimp contact - CK1,0-ED-0,5ST AU - 1409121

## Classifications

### eCl@ss

eCl@ss 8.0	27440204
eCl@ss 9.0	27440204

### ETIM


ETIM 4.0	EC000796
ETIM 5.0	EC000796

### UNSPSC

UNSPSC 6.01	31261502
UNSPSC 7.0901	31261502
UNSPSC 11	31261502
UNSPSC 12.01	31261502
UNSPSC 13.2	31261502

## Drawings

Dimensional drawing



Dimensional drawing

Phoenix Contact 2016 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>



Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

Product	Code	Reference	Product link
Turned 1.0 mm crimp contact, single male contact, conductor cross section 0.14 - 0.5 mm <sup>2</sup> , gold-plated	1409121	CK1,0-ED-0,5ST AU	<a href="#">Buy on EAN</a>