



Automatización Eléctrica
Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#). [HERE](#)

Termination resistor - SAC-5P-MINMS TR-DN - 1434701

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



DeviceNet™ termination resistor, 5-pos., 7/8"-UNF plug

DeviceNet

Key Commercial Data

Packing unit	1 STK
GTIN	 4 046356 362511

Technical data

Ambient conditions

Ambient temperature (operation)	-40 °C ... 80 °C (Plug / socket)
Degree of protection	IP65
	IP67

General

Rated voltage	300 V DC
Rated surge voltage	1500 V
Number of positions	5
Insulation resistance	≥ 10 MΩ
Coding	A - standard
Status display	No
Overvoltage category	II
Degree of pollution	3
Insertion/withdrawal cycles	100

Material

Contact material	CuZn
Contact surface material	AU
Contact carrier material	PA 66
Material of grip body	TPU
Sealing material	TPU

Termination resistor - SAC-5P-MINMS TR-DN - 1434701

Classifications

eCl@ss

eCl@ss 4.0	27060306
eCl@ss 4.1	27060306
eCl@ss 5.0	27061801
eCl@ss 5.1	27060307
eCl@ss 6.0	19070403
eCl@ss 7.0	19070403
eCl@ss 8.0	19070403

ETIM

ETIM 2.0	EC000448
ETIM 3.0	EC000448
ETIM 4.0	EC000448
ETIM 5.0	EC000448

UNSPSC

UNSPSC 6.01	31251501
UNSPSC 7.0901	32121609
UNSPSC 11	32121609
UNSPSC 12.01	32121609
UNSPSC 13.2	32121609

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approvals submitted


Approval details

EAC

Drawings


Termination resistor - SAC-5P-MINMS TR-DN - 1434701

Schematic diagram




Plug pin assignment for 7/8"-16UNF plug, 5-pos.

Circuit diagram



Contact assignment and wiring of the 7/8" termination resistor

Dimensional drawing



7/8" termination resistor

Phoenix Contact 2016 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>



Automatización Eléctrica
Especialistas en Automatización

Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

Product	Code	Reference	Product link
DeviceNet™ termination resistor, 5-pos., 7/8"-UNF plug	1434701	SAC-5P-MINMS TR-DN	Buy on EAN