



**Automatización Eléctrica**  
Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#). [HERE](#)

## Fixing plate - FLT-ISG-PL-22 - 2905588

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Plate for fixing the FLT-ISG-100-EX isolating spark gap to a flange, drill hole diameter of 22 mm.

### Key Commercial Data

|              |                     |
|--------------|---------------------|
| Packing unit | 1 STK               |
| GTIN         | <br>4 055626 002712 |

### Technical data

#### General

|               |                |
|---------------|----------------|
| Mounting type | Screw mounting |
| Material      | <p></p>        |

### Classifications

#### eCl@ss


|            |          |
|------------|----------|
| eCl@ss 5.1 | 27140201 |
| eCl@ss 6.0 | 27140201 |
| eCl@ss 8.0 | 27409202 |

#### ETIM

|          |          |
|----------|----------|
| ETIM 5.0 | EC000490 |
|----------|----------|

### Drawings

Dimensional drawing



---

Phoenix Contact 2016 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>



**Automatización Eléctrica**  
Especialistas en Automatización

Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button](#).

| <b>Product</b>   | <b>Code</b> | <b>Reference</b> | <b>Product link</b>        |
|--|-------------|------------------|----------------------------|
| Plate for fixing the FLT-ISG-100-EX isolating spark gap to a flange, drill hole diameter of 22 mm. | 2905588     | FLT-ISG-PL-22    | <a href="#">Buy on EAN</a> |