At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking HERE. [HERE](#)

PHŒNIX CONTACT

Cable marker - WMTB HF (40X12)R RD CUS - 8191197

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)

Cable marker, can be ordered: By line, red, labeled according to customer specifications, Mounting type: Assembly with cable binders, Cable diameter: ≥6 mm, Lettering field: 40 x 12 mm

Why buy this product

- The marker has two fastening eyes so that it can be attached to the conductor by means of PKB ... cable binders

PRINTED FOR YOU

Key Commercial Data

Packing unit	1 STK
GTIN	4 055626 024318

Technical data

Dimensions

Length (b)	40 mm
Width (a)	10 mm

Ambient conditions

Ambient temperature (operation)	-25 °C ... 80 °C

General

Color	red
Components	Halogen-free
Flammability rating according to UL 94	V0
Material	PUR
Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
Number of individual labels	1000
Number of individual labels per row	1
Marking mounting type	Assembly with cable binders

Standards and Regulations

Wipe resistance	DIN EN 61010-1 (VDE 0411-1)

Cable marker - WMTB HF (40X12)R RD CUS - 8191197

Technical data

Standards and Regulations

Flammability rating according to UL 94	V0

Classifications

eCl@ss

eCl@ss 5.1	27400401
eCl@ss 6.0	27149103
eCl@ss 8.0	27400401

ETIM

ETIM 5.0	EC001530

Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, click on the green button.

Product	Code	Reference	Product link
Cable marker, can be ordered: By line, red, labeled according to customer specifications, Mounting type: Assembly with cable binders, Cable diameter: ≥6 mm, Lettering field: 40 x 12 mm	8191197	WMTB HF (40X12)R RD CUS	Buy on EAN