



Automatización Eléctrica
Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#)

Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

Product	Code	Reference	Product link
PLC-INTERFACE with switch (operation using a screwdriver) and integrated power contact relay for Manual, Zero, and Automatic functions, with spring-cage connection, for mounting on NS 35/7.5 DIN rail, one N/O contact, 24 V AC/DC input voltage	2834889	PLC-RSP- 24UC/ 1/S/L	Buy on EAN
PLC relay, consisting of base terminal block PLC-BSP../21 with spring-cage connection and pluggable miniature relay with multi-layer contact, for assembly on DIN rail NS 35/7.5, 1 PDT, input voltage 48 V DC	2966566	PLC-RSP- 48DC/21AU	Buy on EAN
PLC relay, consisting of base terminal block PLC-BSP../21 with spring-cage connection and pluggable miniature relay with multi-layer contact, for assembly on DIN rail NS 35/7.5, 1 PDT, input voltage 60 V DC	2966579	PLC-RSP- 60DC/21AU	Buy on EAN
PLC sensor relay, consisting of base terminal block PLC-BSP...SEN with spring-cage connection and pluggable miniature relay with multi-layer contact, for assembly on DIN rail NS 35/7.5, 1 N/O contact, input voltage 24 V DC	2967374	PLC-RSP- 24DC/ 1AU/SEN	Buy on EAN
PLC sensor relay, consisting of base terminal block PLC-BSP...SEN with spring-cage connection and pluggable miniature relay with multi-layer contact, for assembly on DIN rail NS 35/7.5, 1 N/O contact, input voltage 120 V AC/ 110 V DC	2967390	PLC- RSP-120UC/ 1AU/SEN	Buy on EAN
PLC sensor relay, consisting of base terminal block PLC-BSP...SEN with spring-cage connection and pluggable miniature relay with multi-layer contact, for assembly on DIN rail NS 35/7.5, 1 N/O contact, input voltage 230 V AC/ 220 V DC	2967413	PLC- RSP-230UC/ 1AU/SEN	Buy on EAN
PLC sensor interface, consisting of PLC-BSP...SEN basic terminal block with spring-cage connection and plug-in miniature solid-state relay, for mounting on NS 35/7,5 DIN rails, input: 24 V DC, output: 3 - 48 V DC/100 mA	2967578	PLC-OSP- 24DC/ 48DC/100/SEN	Buy on EAN

PLC sensor interface, consisting of PLC-BSP...SEN basic terminal block with spring-cage connection and plug-in miniature solid-state relay, for mounting on NS 35/7,5 DIN rails, input: 120 V AC/110 V DC, output: 3 - 48 V DC/100 mA	2967581	PLC-OSP-120UC/48DC/100/SEN	Buy on EAN
PLC sensor interface, consisting of PLC-BSP...SEN basic terminal block with spring-cage connection and plug-in miniature solid-state relay, for mounting on NS 35/7,5 DIN rails, input: 230 V AC/220 V DC, output: 3 - 48 V DC/100 mA	2967594	PLC-OSP-230UC/48DC/100/SEN	Buy on EAN
PLC-INTERFACE, consisting of PLC-BSP... basic terminal block with spring-cage connection and plug-in miniature solid-state relay, for mounting on NS 35/7,5 DIN rails, input: 48 V DC, output: 3 - 48 V DC/100 mA	2967743	PLC-OSP-48DC/48DC/100	Buy on EAN
PLC-INTERFACE, consisting of PLC-BSP... basic terminal block with spring-cage connection and plug-in miniature solid-state relay, for mounting on NS 35/7,5 DIN rails, input: 60 V DC, output: 3 - 48 V DC/100 mA	2967756	PLC-OSP-60DC/48DC/100	Buy on EAN
6.2 mm PLC sensor basic terminal block with RCZ filter against interference currents and voltages on the control side, with sensor supply voltage distribution (BB), spring-cage connection, 120 V AC input voltage (without relay or solid-state relay)	2980364	PLC-BSP-120UC/ 1/SEN/SO46	Buy on EAN
PLC-INTERFACE with switch (operation by hand) and integrated power contact relay for the Manual, Zero and Automatic functions, with spring-cage connection, for assembly on DIN rail NS 35/7.5, a N/O, input voltage 24 V AC/DC	2982249	PLC-RSP- 24UC/1/S/H	Buy on EAN