

# DX111-FBP.0



DX111-FBP.0 IO-Module for UMC100 DI 24 VDC, supply 24VDC

## General Information

Extended Product Type	DX111-FBP.0
Product ID	1SAJ611000R0101
EAN	4013614403712
Catalog Description	DX111-FBP.0 IO-Module for UMC100 DI 24 VDC, supply 24VDC
Long Description	DX111 IO-Module for UMC100, 8 DI 24VDC, 4 DO, 1AO, Supply 24VDC

## Ordering

EAN	4013614403712
Minimum Order Quantity	1 piece
Customs Tariff Number	85364900

## Dimensions

Product Net Width	45 mm
Product Net Height	78 mm
Product Net Depth / Length	102 mm
Product Net Weight	0.22 kg

## Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	45 mm
Package Level 1 Height	78 mm
Package Level 1 Depth / Length	102 mm
Package Level 1 Gross Weight	0.22 kg
Package Level 1 EAN	4013614403712

## Environmental

Ambient Air Temperature	Storage -25 ... +70 °C Operation 0 ... +55 °C
Resistance to Vibrations acc. to IEC 60068-2-6	5g / 3 ... 150 Hz
Resistance to Shock acc. to IEC 60068-2-27	11 ms Pulse 150 m/s <sup>2</sup>
RoHS Status	Following EU Directive 2011/65/EU

---

## Additional Information

Analog Inputs	0
Analog Outputs	1
Degree of Protection	IP20
Input Voltage Type	DC
Mounting on DIN Rail	TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715 TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715
Mounting Position	Any
Number of Digital Inputs AC 230V	0
Number of Digital Inputs DC 24V	8
Number of Digital Outputs DC 24V	0
Number of Digital Output Relays	4
Pollution Degree	3
Power Loss	Approximately 3 W
Product Main Type	DX111-FBP
Product Name	FBP Module
Rated Control Supply Voltage ( $U_s$ )	24 V DC
Rated Operational Current AC-15 ( $I_{\theta}$ )	(240 V) 1.5 A
Rated Operational Current DC-13 ( $I_{\theta}$ )	(125 V) 0.22 A (24 V) 1 A (250 V) 0.11 A
Rated Operational Voltage	Auxiliary Circuit 12 ... 250 V AC/DC
Standards	IEC/EN 60947-1 IEC/EN 60947-5-1 IEC/EN 61131-2 UL 508 CAN/CSA C22.2 No.14
Sub-Function	0 - 10 V
Suitable For	UMC100-FBP.0
Terminal Type	Screw Terminals

---

## Certificates and Declarations (Document Number)

CB Certificate	1SAA962001-2002
Data Sheet, Technical Information	2CDC135013D0201
Declaration of Conformity - CE	1SVD981039-0001
DNV Certificate	DNV_E-13261
Environmental Information	1SAA962007-2401
GL Certificate	1SAA962005-0401
Instructions and Manuals	2CDC135012M6801
RoHS Information	1SVD981039-0001

---

## Classifications

eClass	7.0 27370805
ETIM 4	EC001604 - Fieldbus, decentr. periphery - communication module
ETIM 5	EC002613 - Extension module for electronic motor control and protection device
ETIM 6	EC002613 - Extension module for motor management device
Object Classification Code	B

