

PRODUCT-DETAILS

# KSB-401G

## KSB-401G Signal Beacon



### General Information

Extended Product Type	KSB-401G
Product ID	1SFA616080R4012
EAN	7320500202920
Catalog Description	KSB-401G Signal Beacon
Long Description	KSB-401G Light Element For filament bulb Ba 15d 52mm Green Permanent light

### Ordering

E-Number (Sweden)	5378398
EAN	7320500202920
Minimum Order Quantity	1 piece
Customs Tariff Number	85369001

### Dimensions

Product Net Width	0.075 m
Product Net Height	0.075 m
Product Net Depth / Length	0.097 m
Product Net Weight	0.13 kg

### Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	0.1 m
Package Level 1 Height	0.075 m
Package Level 1 Depth / Length	0.08 m
Package Level 1 Gross Weight	0.13 kg
Package Level 1 EAN	7320500202920

## Environmental

RoHS Status	Following EU Directive 2015/863 July 22, 2019 (RoHS 3)
-------------	--

## Additional Information

Accessory Type	Signal towers and beacons
Color	Green
Degree of Protection	Front IP65
Function	Permanent light
Lamp Type	For filament bulb Ba 15d 52mm
Product Main Type	KSB
Product Name	Signal Beacon
Product Range	Not applicable
Product Type	KSB
Rated Control Supply Voltage (U <sub>s</sub> )	12-240 V AC/DC
Rated Frequency (f)	50 / 60 Hz
Rated Operational Voltage	12 ... 240 V AC/DC
RoHS Date	06.01.01
Upper Button Text	DAUERLEUCHTE KSB-401G GRUEN 12-240V AC / DC

## Certificates and Declarations (Document Number)

Data Sheet, Technical Information	1SFC151007C02__
Declaration of Conformity - CE	2CMT2015-005456
Environmental Information	1SFC151006D0201
Instructions and Manuals	1SFC151011M0201
RoHS Information	2CMT2015-005456

## Classifications

ETIM 4	EC002024 - Accessories for control circuit devices
ETIM 5	EC002024 - Accessories for control circuit devices
ETIM 6	EC001042 - Signal tower complete
ETIM 7	EC001334 - Continuous luminaire
Object Classification Code	P
UNSPSC	39120000
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

---

## Categories

---

Low Voltage Products and Systems → Control Products → Pilot Devices → Signal Towers and Beacons

