

Data Sheet

Temperature sensor
Type **MBT 5111**

For measuring exhaust gas in stationary and marine applications



The MBT 5111 is a heavy-duty temperature sensor that can be used for measuring and regulating exhaust gas from diesel engines, turbines and compressors within stationary and marine applications.

This temperature sensor is based on a type K thermo couple, which measures temperatures up to 800 °C. The slim construction gives a short reaction time of $t_{0.5} = 2$ sec. in water.

All parts in contact with the media are made of stainless steel AISI 316 Ti. The sensor is delivered with a 6 m extension cable as standard.

Features

- For measuring exhaust gas in stationary and marine:
 - diesel engines
 - turbines
 - compressors
- With thermocouple for up to 800 °C media temperature
- MBT 5111 with adjustable insertion length up to 150 mm using moveable compression fitting

Product specification

Technical specification

Table 1: Main specifications

Sensing element	1 x NiCr-Ni or 2x NiCr-Ni, type K
Measuring range	-40 – 800 °C
Thermocouple design	According to EN 61515
Tolerances	According to EN 60584-1 Class 2
Protection tube	AISI 316 Ti

Table 2: Response times

Type	Indicative response times	
	Water 0.2 m/s	
	$t_{0.5}$	$t_{0.9}$
MBT 5111 $\varnothing 6$	2 s	5 s
With pocket	12 s	38 s


Table 3: Mechanical and environmental specifications

Ambient temperature	Depending on cable	
Vibration stability	Shock	100 g/6 ms
	Vibrations	4 g sine function 2 – 100 Hz, measured acc. to IEC 60068-2-6
Cable	MBT 5111 $\varnothing 6$	2 x 0.5 mm ² , armoured teflon (max. 260 °C)
Enclosure	IP65 according to IEC 60529	

Table 4: Net weight

MBT 5111 $\varnothing 6$	0.16 kg
1 m cable increases net weight with	approx. 40 g

Figure 1: Sensor tolerance EN 60584-1 Class 2



Mounting

The free insertion length may not exceed $25 \times$ sensor diameter, e.g. 150 mm with a 6 mm sensor diameter.

The free insertion length is defined as the part of the outermost sensor end that is not supported by a pocket or a drilled hole in the machinery.

The free length of the cable must be supported for every $\frac{1}{2}$ meter ($= 100 \times$ cable diameter).

Dimensions [mm]

Figure 2: Sensor and cable dimensions




Figure 3: Cable dimensions





Figure 4: Sensor



All dimensions are in millimeters

Ordering

Ordering standard

Type MBT 5111	Sensor	Cable	Accessories	
Thermocouple				Length of flexible tube
1 × Type K, max 800 °C	0		0000	None
2 × Type K, max 800 °C	1		0030	0.3 m
Other	9		0100	1.0 m
			1000	10 m
			xxx0	Other
Protection Tube				Accessories
ø4.5 mm	0		0	None
ø6.0 mm	1		1	Flexible tube
ø8.0 mm	2		2	Spring
Other	9		9	Other
Tolerance				Ajustable fitting for cable
Class 2 EN 60584-1	0		0	None
Other	9		9	Other
Design				Connection (plug)
Straight protection tube	0		0	None
Bended protection tube (90° as standard)	1		1	Jäger straight
			3	ITT Cannon
			9	Other
Protection tube, outside length				Cable length
100 mm		0100	0100	01.0 m
500 mm		0500	0200	02.0 m
1000 mm		1000	1000	10.0 m
xxxx mm		xxxx	xxxx	xx,x m
Connection type				Cable type
None	0		1	PFA thermocouple cable, screen, 260 °C
Adjustable fitting, 1 piece	1		2	FEP thermocouple cable, screen, 205 °C
Fixed fitting	3		9	Other
Other	9			
Connection thread				
None	0	0		
¼" – 18NPT	1			
G ½ A	4			
Other	9			

 Preferred versions

Certificates, declarations, and approvals

The list contains all certificates, declarations, and approvals for this product type. Individual code number may have some or all of these approvals, and certain local approvals may not appear on the list.

Some approvals may change over time. You can check the most current status at danfoss.com or contact your local Danfoss representative if you have any questions.

Table 5: Certificates and declarations

File name	Document type	Document topic	Approval authority
CPH 04967-AE009	Marine - Safety Certificate	-	KR
16-LD1487293-PDA	Marine - Safety Certificate	-	ABS
06510-E0 BV	Marine - Safety Certificate	-	BV
ELE-006715XG-003	Marine - Safety Certificate	-	RINA
17-20082(E1)	Marine - Safety Certificate	-	LR
TAA0000130 Rev. 1	Marine - Safety Certificate	-	DNV GL
GB19PTB00025	Marine - Safety Certificate	-	CCS
DK.C.32.004.A 41459	Measuring - Performance Certificate	-	GOST
097R0004.01	Manufacturers Declaration	RoHS	Danfoss
084R1021.00	Manufacturers Declaration	China RoHS	Danfoss
SMS.W.II-2179-B.0	Marine - Manufacturing Permission	-	BV
087R0017.00	Manufacturers Declaration	Simple apparatus	Danfoss

Online support

Danfoss offers a wide range of support along with our products, including digital product information, software, mobile apps, and expert guidance. See the possibilities below.

The Danfoss Product Store



The Danfoss Product Store is your one-stop shop for everything product related—no matter where you are in the world or what area of the cooling industry you work in. Get quick access to essential information like product specs, code numbers, technical documentation, certifications, accessories, and more.

Start browsing at store.danfoss.com.

Find technical documentation



Find the technical documentation you need to get your project up and running. Get direct access to our official collection of data sheets, certificates and declarations, manuals and guides, 3D models and drawings, case stories, brochures, and much more.

Start searching now at www.danfoss.com/en/service-and-support/documentation.

Danfoss Learning



Danfoss Learning is a free online learning platform. It features courses and materials specifically designed to help engineers, installers, service technicians, and wholesalers better understand the products, applications, industry topics, and trends that will help you do your job better.

Create your Danfoss Learning account for free at www.danfoss.com/en/service-and-support/learning.

Get local information and support



Local Danfoss websites are the main sources for help and information about our company and products. Find product availability, get the latest regional news, or connect with a nearby expert—all in your own language.

Find your local Danfoss website here: www.danfoss.com/en/choose-region.

Spare Parts



Get access to the Danfoss spare parts and service kit catalog right from your smartphone. The app contains a wide range of components for air conditioning and refrigeration applications, such as valves, strainers, pressure switches, and sensors.

Download the Spare Parts app for free at www.danfoss.com/en/service-and-support/downloads.