

SSTB

Stainless steel terminal box

nVent

HOFFMAN

CONNECT AND PROTECT



The stainless steel terminal box range, SSTB, with a IP 66 protection degree, is available off the shelf in many different sizes. The SSTB range is well suited for indoor and outdoor environments thanks to its corrosion resistance. Water and dust are prevented from entering the terminal box, thus eliminating the risk for component failure, and with that, unnecessary downtime.

Material: AISI 304L pre-grained stainless steel / AISI 316L (on request). Body: 1 mm. Cover: 1.5 mm.

Body: Folded and seam welded. Four M6x13 studs for bottom profile / mounting plate fixation.

Gasket: For AISI 316L, sealing is ensured by an injected one piece silicone gasket.

Earthing: M8x18 mm earthing studs in body and cover, M8 nuts, earthing washers and earthing labels.

Protection: IP 66 | TYPE 4X, 12, 13 | IK 08.

Finish: 400 pre-grained stainless steel.


Delivery: Body, cover, cover screws, fixing screws, cover plugs and earthing facilities.

IP 66 | TYPE 4X, 12, 13 | IK 08



SSTB

Stainless steel terminal box



Box dimension				
H	W	D	Item no.	
150	150	80	SSTB151508	
150	150	80	SSTB151508-316	
150	150	120	SSTB151512	
150	150	120	SSTB151512-316	
150	300	80	SSTB153008	
150	300	80	SSTB153008-316	
150	300	120	SSTB153012	
150	300	120	SSTB153012-316	
200	200	80	SSTB202008	
200	200	80	SSTB202008-316	
200	200	120	SSTB202012	
200	200	120	SSTB202012-316	
200	300	80	SSTB203008	
200	300	80	SSTB203008-316	
200	300	120	SSTB203012	
200	300	120	SSTB203012-316	
200	400	80	SSTB204008	
200	400	80	SSTB204008-316	
200	400	120	SSTB204012	
200	400	120	SSTB204012-316	
200	500	120	SSTB205012	
200	500	120	SSTB205012-316	
200	600	120	SSTB206012	
200	600	120	SSTB206012-316	
200	800	120	SSTB208012	
200	800	120	SSTB208012-316	
300	300	80	SSTB303008	
300	300	80	SSTB303008-316	
300	300	120	SSTB303012	
300	300	120	SSTB303012-316	
300	400	120	SSTB304012	
300	400	120	SSTB304012-316	
300	500	120	SSTB305012	
300	500	120	SSTB305012-316	
300	600	120	SSTB306012	
300	600	120	SSTB306012-316	
400	400	120	SSTB404012	
400	400	120	SSTB404012-316	
400	600	120	SSTB406012	
400	600	120	SSTB406012-316	
400	800	120	SSTB408012	
400	800	120	SSTB408012-316	