DATASHEET - DX-BR3-100

A1, DL1



Braking resistance, IP54, 100 Ω , 0.2 kW, For use with: DC1, DA1, DL1		
Part n	o. DX-BR3-10 169150	00
EL Nu (Norw		
General specifications		
Product name		Eaton DX Braking resistor
Part no.		DX-BR3-100
EAN		4015081656288
Product Length/Depth		9 millimetre
Product height		188 millimetre
Product width		41 millimetre
Product weight		0.2 kilogram
Compliances		CE
Product Tradename		DX
Product Type		Accessory
Product Sub Type		Braking resistor
Features & Functions		
Fitted with:		Connection cable
General information		
Accessory/spare part type		Breaking resistance
Degree of protection		IP54
Product Category		Accessories
Туре		Wire wound resistor in alur
Design verification		
10.2.2 Corrosion resistance		Meets the product standard
10.2.3.1 Verification of thermal stability o	f enclosures	Meets the product standard
10.2.3.2 Verification of resistance of insu	lating materials to normal heat	Meets the product standard
10.2.3.3 Resist. of insul. mat. to abnormal	l heat/fire by internal elect. effects	Meets the product standard

Fitted with:	Connection cable
eneral information	
Accessory/spare part type	Breaking resistance
Degree of protection	IP54
Product Category	Accessories
Туре	Wire wound resistor in aluminum case
lesign verification	
10.2.2 Corrosion resistance	Meets the product standard's requirements.
10.2.3.1 Verification of thermal stability of enclosures	Meets the product standard's requirements.
10.2.3.2 Verification of resistance of insulating materials to normal heat	Meets the product standard's requirements.
10.2.3.3 Resist. of insul. mat. to abnormal heat/fire by internal elect. effects	Meets the product standard's requirements.
10.2.4 Resistance to ultra-violet (UV) radiation	Meets the product standard's requirements.
10.2.5 Lifting	Does not apply, since the entire switchgear needs to be evaluated.
10.2.6 Mechanical impact	Does not apply, since the entire switchgear needs to be evaluated.
10.2.7 Inscriptions	Meets the product standard's requirements.
10.3 Degree of protection of assemblies	Does not apply, since the entire switchgear needs to be evaluated.
10.4 Clearances and creepage distances	Meets the product standard's requirements.
10.5 Protection against electric shock	Does not apply, since the entire switchgear needs to be evaluated.
10.6 Incorporation of switching devices and components	Does not apply, since the entire switchgear needs to be evaluated.
10.7 Internal electrical circuits and connections	Is the panel builder's responsibility.
10.8 Connections for external conductors	Is the panel builder's responsibility.
10.9.2 Power-frequency electric strength	Is the panel builder's responsibility.
10.9.3 Impulse withstand voltage	Is the panel builder's responsibility.
10.9.4 Testing of enclosures made of insulating material	Is the panel builder's responsibility.
10.10 Temperature rise	The panel builder is responsible for the temperature rise calculation. Eaton will provide heat dissipation data for the devices.
10.11 Short-circuit rating	Is the panel builder's responsibility. The specifications for the switchgear must be observed.
10.12 Electromagnetic compatibility	Is the panel builder's responsibility. The specifications for the switchgear must be observed.
10.13 Mechanical function	The device meets the requirements, provided the information in the instruction leaflet (IL) is observed.

Technical data ETIM 9.0

Low-voltage industrial components (EG000017) / Accessories/spare parts for frequency controller (EC002025)

Electric engineering, automation, process control engineering / Electrical drive / Static frequency converter / Static frequency converter (accessories) (ecl@ss13-27-02-31-92 [AFR303008])

Type of accessory/spare part	Bre	eaking resistance
Accessory	Yes	3
Spare part	No	