Cable entry / flange plate for W=400mm, pass-through flange

Powering Business Worldwide*

Part no. BP-FLP-400-2K

286705

EL Number 2456038

(Norway)

| (Norway) | |
|--|-------------------------------------|
| General specifications | |
| Product name | Eaton xEnergy Basic other accessory |
| Part no. | BP-FLP-400-2K |
| EAN | 4015082867058 |
| Product Length/Depth | 340 millimetre |
| Product height | 15 millimetre |
| Product width | 168 millimetre |
| Product weight | 0.479 kilogram |
| Compliances | RoHS conform |
| Product Tradename | xEnergy Basic |
| Product Type | Accessories |
| Product Sub Type | Other |
| Delivery program | |
| Туре | Additional equipment |
| Model | Membrane |
| Color | Light gray (RAL 7035) |
| Technical Data - Mechanical | |
| Shape | Straight |
| Surface finishing | With powder coating |
| Surface protection | Powder coating |
| Mounting method | Surface mounting |
| Material | Steel Sheet steel |
| Degree of protection | IP30 Other |
| Number of connector holes | 24 |
| Cable entry type | 2K-flange |
| Housing material | Sheet steel |
| Thickness | 1 mm |
| Thread type | None |
| Suitable for nominal thread (PG) - min | 10 |
| Suitable for nominal thread (PG) - max | 28 |
| Suitable for width | 400 mm |
| Additional information | |
| Features | Pre-stamping |
| Functions | Additional equipment |
| | |

Technical data ETIM 9.0

Distribution boards (EG000023) / Gland plate for enclosure/cabinet (EC000211)

Electric engineering, automation, process control engineering / Electrical installation, device / Electrical distribution system (including small distribution board) / Gland plate for small distribution boards/switchgear cabinets (ecl@ss13-27-14-24-21 [ADI315012])

| distribution boards/ownerigati submitte (toties and 27 ff 27 ff 1516 150 12) | | | | |
|--|----------------|--|--|--|
| | Membrane | | | |
| | Straight | | | |
| mn | 168 | | | |
| mn | 15 | | | |
| mn | 1 | | | |
| | Steel | | | |
| | Powder coating | | | |
| | Other | | | |
| | mn mn | | | |

| Pre-stamping | | Yes | |
|--|----|---------|---|
| Number of connector holes | | 24 | |
| Suitable for cable diameter | mi | m 0 - 0 | |
| Thread type | | None | |
| Suitable for nominal thread metric/PG | | 10 - 28 | 1 |
| Gland plate type according to SEN 280901 | | | |