

Busbar support, for CI enclosure 375mm , 2x hxd=30x10mm



Part no. SH1005/4
062993
EL Number 2502260
(Norway)

General specifications		
Product name		Eaton xEnergy Safety Ci busbar enclosure accessory
Part no.		SH1005/4
EAN		4015080629931
Product Length/Depth		15 millimetre
Product height		100 millimetre
Product width		375 millimetre
Product weight		0.263 kilogram
Compliances		RoHS conform
Product Tradename		xEnergy Safety Ci
Product Type		Accessories
Product Sub Type		Busbar enclosure accessory
Delivery program		
Type		Accessory for busbar enclosures Prepared enclosures xEnergy Safety Ci
Accessory/spare part type		Busbar support
Number of poles		Five-pole
Technical Data - Electrical		
Current rating - max		1000 A
Rated operation current (Ie)		1000 A
Technical Data - Mechanical		
Distance between busbar centers		50 mm
Busbar distance		50 mm
Additional information		
Functions		Prepared enclosure For use between two enclosures
Special features		Component mounting possible on busbar Interval between busbar supports max. 375 mm
Suitable for		Use between two enclosures
Used with		CI45... L1, L2, L3: 2 x 30 x 10; PE, N: 30 x 10 CI48... CI44... xEnergy Safety Ci Prepared enclosures Accessory for busbar enclosures

Technical data ETIM 9.0

Energy distribution systems (EG000015) / Busbar support (EC001166)			
Electric engineering, automation, process control engineering / Electrical insulation and connecting material / Energy distribution system / Busbar carrier (ec@ss13-27-40-06-07 [AC0377016])			
Number of poles			5
Max. rated current		A	1000
Busbar distance		mm	50