

Lightning symbol + terminal marking, for main switch



**Part no. BPF-NZM10
231363**

General specifications		
Product name		Eaton Moeller series NZM operating element accessory
Part no.		BPF-NZM10
EAN		4015082313630
Product Length/Depth		60 millimetre
Product height		1 millimetre
Product width		20 millimetre
Product weight		0.003 kilogram
Compliances		IEC UL/CSA RoHS conform
Product Tradename		NZM
Product Type		Accessories
Product Sub Type		Operating element accessory
Delivery program		
Type		Accessory Lightning symbol
Features		Waterproof
Special features		Including terminal marking for main switch
Frame		NZM3/4
Fitted with:		Alert/Information symbol Mounting material
Used with		NS3 N3 NZM3(-4), PN3(-4), N(S)3(-4) N4-4 NZM3-4 NZM4(-4), N(S)4(-4) PN3-4 N3-4 NZM1-NA NZM3 NZM2-NA NZM4-NA N4 NZM3-NA NZM4-4 PN3 NS4 NZM4
Technical Data - Mechanical		
Color		Yellow
Mounting Method		Other
Material		Plastic
Material quality		Other
Inscription		Lightning symbol, big
Thickness of warning label		5 mm
Special features		Including terminal marking for main switch
Design verification as per IEC/EN 61439		
10.2.2 Corrosion resistance		Meets the product standard's requirements.
10.2.3.1 Verification of thermal stability of enclosures		Meets the product standard's requirements.
10.2.3.2 Verification of resistance of insulating materials to normal heat		Meets the product standard's requirements.
10.2.3.3 Resist. of insul. mat. to abnormal heat/fire by internal elect. effects		Meets the product standard's requirements.
10.2.4 Resistance to ultra-violet (UV) radiation		Meets the product standard's requirements.
10.2.5 Lifting		Does not apply, since the entire switchgear needs to be evaluated.
10.2.6 Mechanical impact		Does not apply, since the entire switchgear needs to be evaluated.
10.2.7 Inscriptions		Meets the product standard's requirements.

10.3 Degree of protection of assemblies		Does not apply, since the entire switchgear needs to be evaluated.
10.4 Clearances and creepage distances		Meets the product standard's requirements.
10.5 Protection against electric shock		Does not apply, since the entire switchgear needs to be evaluated.
10.6 Incorporation of switching devices and components		Does not apply, since the entire switchgear needs to be evaluated.
10.7 Internal electrical circuits and connections		Is the panel builder's responsibility.
10.8 Connections for external conductors		Is the panel builder's responsibility.
10.9.2 Power-frequency electric strength		Is the panel builder's responsibility.
10.9.3 Impulse withstand voltage		Is the panel builder's responsibility.
10.9.4 Testing of enclosures made of insulating material		Is the panel builder's responsibility.
10.10 Temperature rise		The panel builder is responsible for the temperature rise calculation. Eaton will provide heat dissipation data for the devices.
10.11 Short-circuit rating		Is the panel builder's responsibility. The specifications for the switchgear must be observed.
10.12 Electromagnetic compatibility		Is the panel builder's responsibility. The specifications for the switchgear must be observed.
10.13 Mechanical function		The device meets the requirements, provided the information in the instruction leaflet (IL) is observed.
Additional information		
Model		Other

Technical data ETIM 9.0

Auxiliary material (EG000060) / Warning/signing plate (EC001777)			
Occupational safety, accident prevention / Information, safety, traffic signs / Sticker (Occupational safety) / Warning sign (sticker) (ec1@ss13-40-20-02-03 [AJZ649017])			
Shape			Rectangular
Model			Other
Material			Plastic
Material quality			Other
UV resistant			No
Halogen free			No
Waterproof			Yes
With alert-/information symbol			Yes
Symbol			Other
With alert-/information text			No
Literal imprint			Other
Language of the imprint			Other
Width		mm	20
Height		mm	1
Diameter		mm	0
Thickness		mm	5
Type of fastening			Other
With mounting material			Yes
Foldable			No
Colour			Yellow
Fluorescent			No
Photoluminescent (glow in the dark)			No
Mounting method			Other