

Article

503.2416-F
 INTERLOCK.SOCKET 2P IP66 16A 24V AC

Picture**Master data**

Minimum order	1 NR
Net Weight	5.861 KG
EAN code	8001636238005
Harmonized System Code (HSCode)	85366990

TechData

Commercial series	ADVANCE-GRP[<50V] Series
Synthetical description	INTERLOCKED SOCKET
Rated current	16A
Poles	2P
Rated voltage	24V
Colour	VIOLET
Protection degree IP	IP66
Group and categories EX	II 3 D

Approvals and Certifications

UE
 Declaration of conformity



SCAME Ex
 ATEX



SCAME Ex
 ATEX

Standards and Laws

EN 60309-1 (1999)
 [European Standard] Plugs, socket-outlets and couplers for industrial purposes. Part 1: General requirements



EN 60309-2 (1999)
 [European Standard] Plugs, socket-outlets and couplers for industrial purposes. Part 2: Dimensional interchangeability requirements for pin and contact-tube accessories of harmonized configurations



EN 60309-1/A1 (2007)
 [European Standard] Plugs, socket-outlets and couplers for industrial purposes. Part 1: General requirements



EN 60309-2/A1 (2007)
 [European Standard] Plugs, socket-outlets and couplers for industrial purposes. Part 2: Dimensional interchangeability requirements for pin and contact-tube accessories of harmonized configurations



EN 61558-1 (1997)
 [European Standard] Safety of power transformers, power supply units and similar. General requirements and tests



EN 61558-1/A1 (1998)
 [European Standard] Safety of power transformers, power supply units and similar. General requirements and tests



EN 61558-1/A11 (2003)
 [European Standard] Safety of power transformers, power supply units and similar. General requirements and tests



EN 61558-2-6 (1997)
 [European Standard] Safety of transformers, reactors, power supply units and similar products for supply voltages up to 1 100 V - Part 2-6: Particular requirements and tests for safety isolating transformers and power supply units incorporating saf[...].



EN 60309-1/A2 (2012)
 [European Standard] Plugs, socket-outlets and couplers for industrial purposes. Part 1: General requirements



EN 60309-2/A2 (2012)
 [European Standard] Plugs, socket-outlets and couplers for industrial purposes. Part 2: Dimensional interchangeability requirements for pin and contact-tube accessories of harmonized configurations



EN 60079-0 (2012)
 [European Standard] Explosive atmospheres. General requirements.



EN 60079-31 (2014)
 [European Standard] Explosive atmospheres. Equipment dust ignition protection by enclosure "t"



EN 60079-0/A11 (2013)
 [European Standard] Explosive atmospheres. General requirements.

Packaging

Description	Carton
Quantity	1
EAN code	
Gross weight	6.147 KG
Volume	12978 CCM
Dimensions	140x515x180 (MM)

Annexed



Instruction manual



Technical drawing [DWG]



Technical drawing [PDF]



Technical drawing [STP]


Note:

Blank side with drilling point mark



Fuses not supplied

SELV transformer 220/24V~ 150VA
(continuous duty).**Articoli Collegati:**

	579.0021	MOUNTING PLATE GRP 2x16/32A + 1x63A
	579.0022	MOUNTING PLATE GRP 2x16/32A + 2x63A
	579.0030	MOUNTING PLATE GRP 3x16/32A
	579.0031	MOUNTING PLATE GRP 3x16/32A + 1x63A
	579.0040	MOUNTING PLATE GRP 4x16/32A