

Article

590.YA633B
 SWITCHING UNIT BASE MOUNT.63A 3P

Picture**Master data**

Minimum order	6 NR
Net Weight	0.307 KG
EAN code	8001636158112
Harmonized System Code (HSCode)	85365080

TechData

Commercial series	COMMAND Series
Synthetical description	SWITCH DISCONNECTOR
Type	BOX (B)
Rated current	63A
Poles	3P
Switch size	Y2

Approvals and Certifications

UE
 Declaration of conformity



I.M.Q.
 Istituto Italiano del Marchio di Qualità



C UL US LISTED (USA)
 Underwriters Laboratories Inc.



EAC
 Eurasian Conformity

Standards and Laws

EN 60947-3 (2006)
 [European Standard] Low-voltage switchgear and controlgear - Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination units



EN 60947-1 (2007)
 [European Standard] Low-voltage switchgear and controlgear - Part 1: General rules



EN 60947-1/A1 (2011)
 [European Standard] Low-voltage switchgear and controlgear - Part 1: General rules



EN 60947-3/A1 (2011)
 [European Standard] Low-voltage switchgear and controlgear Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination units



UL 60947-1
 [American Standard] Low-Voltage Switchgear and Controlgear - Part 1: General rules



UL 60947-4-1
 [American Standard] Low-Voltage
 Switchgear and Controlgear - Part 4-1:
 Contactors and Motor-Starters -
 Electromechanical Contactors and Motor-
 Starters



CSA C22.2 No. 60947-1-13
 [Canadian Standard] Low-voltage
 switchgear and controlgear - Part 1: General
 rules



CSA C22.2 No. 60947-4-1-14
 [Canadian Standard] Low-voltage
 switchgear and controlgear - Part 4-1:
 Contactors and motor-starters -
 Electromechanical contactors and motor-
 starters



EN 60947-1/A2 (2014)
 [European Standard] Low-voltage
 switchgear and controlgear - Part 1: General
 rules



EN 60947-3/A2 (2015)
 [European Standard] Low-voltage
 switchgear and controlgear Part 3:
 Switches, disconnectors, switch-
 disconnectors and fuse-combination units

Packaging

Description	Box
Quantity	6
EAN code	8001636592770
Gross weight	1.98 KG
Volume	5890.104 CCM
Dimensions	198x268x111 (MM)

Annexed



Instruction manual



Technical drawing [DWG]



Technical drawing [PDF]



Technical drawing [STP]

Note:

BOX (B) = Base mounting



DIN rail fixing



Articoli Collegati:

	590.PL004003	AUX CONTACT 16A NC - (63A Version)
--	--------------	------------------------------------

	590.PL004004	AUX CONTACT 16A N0 - (63A Version)
	590.YM67B6	SWITCH FRONT OPER.67 R/Y DOOR LOCK BASE
	590.YM67B7	FRONT OPERATOR 63A 80A 100A 67x67mm IP65
	590.YM68B6	FRONT OPERATOR 63A 80A 100A 67x67mm IP65
	590.YM68B7	FRONT OPERATOR 63A 80A 100A 67x67mm IP65
	590.YMB085	DRIVE EXTENSION 63A 80A 100A 85mm
	590.YMB185	DRIVE EXTENSION 63A 80A 100A 185mm
	590.YMB300	DRIVE EXTENSION 63A 80A 100A 300mm
	590.YMC2	DIRECT OPERATORS 63A 80A 100A IP65