

Article**590.YA803R**

SWITCHING UNIT FRONT PANEL MTG.80A 3P

Picture**Master data**

Minimum order	6 NR
Net Weight	0.309 KG
EAN code	8001636158082
Harmonized System Code (HSCode)	85365080

TechData

Commercial series	COMMAND Series
Synthetical description	SWITCH DISCONNECTOR
Type	REAR (R)
Rated current	80A
Poles	3P
Switch size	Y2

Approvals and Certifications

UE
Declaration of conformity



I.M.Q.
Istituto Italiano del Marchio di Qualità



C UL US LISTED (USA)
Underwriters Laboratories Inc.



EAC
Eurasian Conformity

Standards and Laws

EN 60947-3 (2006)
[European Standard] Low-voltage switchgear and controlgear - Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination units



EN 60947-1 (2007)
[European Standard] Low-voltage switchgear and controlgear - Part 1: General rules



EN 60947-1/A1 (2011)
[European Standard] Low-voltage switchgear and controlgear - Part 1: General rules



EN 60947-3/A1 (2011)
[European Standard] Low-voltage switchgear and controlgear Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination units



UL 60947-1
[American Standard] Low-Voltage Switchgear and Controlgear - Part 1: General rules



UL 60947-4-1
 [American Standard] Low-Voltage
 Switchgear and Controlgear - Part 4-1:
 Contactors and Motor-Starters -
 Electromechanical Contactors and Motor-
 Starters



CSA C22.2 No. 60947-1-13
 [Canadian Standard] Low-voltage
 switchgear and controlgear - Part 1: General
 rules



CSA C22.2 No. 60947-4-1-14
 [Canadian Standard] Low-voltage
 switchgear and controlgear - Part 4-1:
 Contactors and motor-starters -
 Electromechanical contactors and motor-
 starters



EN 60947-1/A2 (2014)
 [European Standard] Low-voltage
 switchgear and controlgear - Part 1: General
 rules



EN 60947-3/A2 (2015)
 [European Standard] Low-voltage
 switchgear and controlgear Part 3:
 Switches, disconnectors, switch-
 disconnectors and fuse-combination units

Packaging

Description	Box
Quantity	6
EAN code	8001636592749
Gross weight	2.004 KG
Volume	5890.104 CCM
Dimensions	198x268x111 (MM)

Annexed



Instruction manual



Technical drawing [DWG]



Technical drawing [PDF]



Technical drawing [STP]

Note:

REAR (R) = Panel mounting



Articoli Collegati:

	590.PL004003	AUX CONTACT 16A NC - (63A Version)
	590.PL004004	AUX CONTACT 16A NO - (63A Version)

	590.YM67R6	EMERGENCY SWITCH Q67MM RED/YELLOW
	590.YM67R7	FRONT OPERATOR 63A 80A 100A 67x67mm IP65
	590.YM70R6	FRONT OPERATOR FOR SWITCHES 63A 80A 100A
	590.YM70R7	FRONT OPERATOR FOR SWITCHES 63A 80A 100A