



**Automatización Eléctrica**

Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#)

## General Information

Extended Product Type:	IPM1Y
Product ID:	1SBV001101R1823
EAN:	3471522009005
Catalog Description:	IPM1Y Foot Switch
Long Description:	IPM1Y Foot Switch

## Categories

Products » Low Voltage Products and Systems » Control Products » Sensors » Limit Switches

## Ordering

EAN:	3471522009005
Minimum Order Quantity:	1 piece
Customs Tariff Number:	85369085

## Dimensions

Product Net Weight:	0.130 kg
---------------------	----------


## Container Information

Package Level 1 Units:	1 piece
Package Level 1 Width:	103 mm
Package Level 1 Height:	77 mm
Package Level 1 Length:	36 mm
Package Level 1 Gross Weight:	0.13 kg
Package Level 1 EAN:	3471522009005

## Environmental

Ambient Air Temperature:	Operation -10 ... +70 °C Storage -25 ... +80 °C
--------------------------	--

## Additional Information

Action Type of the Contact Element (acc. to IEC 60947-5-1):	snap action contacts
Actuation Torque:	acc. to IEC 60947-5-1 Min. 1.20 N·m
Base Color:	Black
Connecting terminals (delivered in open position):	M3 x 0.5 screw with Phillips head  1 and washer
Contact Element Form (acc. to IEC 60947-5-1):	C
Conventional Free-air Thermal Current ( $I_{th}$ ):	acc. to IEC 60947-5-1, $q = 40$ °C 15.0 A
Cover Color:	yellow
Degree of Protection:	acc. to IEC 60529 IP40
Electrical Durability:	100000
IIT Publishing Status:	Level 0 - Information enabled
Mechanical Durability:	10 million
Number of Auxiliary Contacts NC:	1
Number of Auxiliary Contacts NO:	1
Operating Angle of the Foot Switch Pedal:	2 to 4 °
Operating Format:	free movement
Product Main Type:	Foot Switches
Product Name:	Foot Switch
Rated Impulse Withstand Voltage ( $U_{imp}$ ):	1 kV
Rated Insulation Voltage ( $U_i$ ):	acc. to IEC 60947-5-1 and VDE 0110 (Gr. C) 250 V
Rated Operational Current AC ( $I_e$ ):	(250 V) 50 / 60 Hz 3 A
Rated Operational Current DC ( $I_e$ ):	(230 V) 0.06 A
Resistance Between Contacts:	30 mΩ
Standards:	IEC 61058-1

## Certificates and Declarations (Document Number)

Data Sheet, Technical Information: 1SBC001699R1002

Declaration of Conformity - CE: 1SBD250883C2000

## Classifications

ETIM 4: EC001829 - Position switch modular

ETIM 5: EC001829 - Position switch modular

UNSPSC: 39121500





Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

<b>Product</b>	<b>Code</b>	<b>Reference</b>	<b>Product link</b>
IPM1Y Foot Switch	1SBV001101R1823	IPM1Y	<a href="#">Buy on EAN</a>