



Automatización Eléctrica

Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#)

General Information

Extended Product Type:	OTP125B4U
Product ID:	1SCA022401R5300
EAN:	6417019131382
Catalog Description:	OTP125B4U Enclosed switch
Long Description:	Enclosed switch 4-p.400V AC23A 50A AC22A 125A Plastic enclosure IP65 Black Selector handle

Categories

Products » Low Voltage Products and Systems » Enclosed Switches » Enclosed Switch-Disconnectors

Ordering

EAN:	6417019131382
Minimum Order Quantity:	1 piece
Customs Tariff Number:	85365080

Dimensions

Product Net Width:	200 mm
Product Net Height:	400 mm
Product Net Depth:	140 mm
Product Net Weight:	2.5 kg

Container Information

Package Level 1 Units:	1 piece
Package Level 1 Width:	203 mm
Package Level 1 Height:	187 mm
Package Level 1 Length:	407 mm
Package Level 1 Gross Weight:	2.6 kg
Package Level 1 EAN:	6417019131382

Environmental

RoHS Status:	Planned to follow EU Directive 2002/95/EC August 18, 2005 and amendment after 2009 Q4
--------------	---

Additional Information

Cable Entry Position:	Top and bottom
Cable Outlets Per Side:	Blank cable entries
Conventional Thermal Current (I_{the}):	Fully Enclosed 100 A
Degree of Protection:	acc. to IEC 60529 IP65
Enclosure Material:	Plastic
IIT Publishing Status:	Level 0 - Information enabled
Number of Poles:	4
Pollution Degree:	3
Position of Line Terminals:	Top In - Bottom Out
Position of Neutral Terminals:	Top In - Bottom Out
Position of PE Terminals:	Top In - Bottom Out
Product Main Type:	OT125
Product Name:	Enclosed switch
Rated Operational Current AC-21A (I_e):	(690 V) 125 A (500 V) 125 A (380 ... 415 V) 125 A
Rated Operational Current AC-22A (I_e):	(500 V) 125 A (690 V) 125 A
Rated Operational Current AC-23A (I_e):	(380 ... 415 V) 90 A (500 V) 70 A (690 V) 50 A
Rated Operational Voltage:	750 V

Certificates and Declarations (Document Number)

BV Certificate:	1SCC340018D0202
Data Sheet, Technical Information:	1SCC340009C0201
Declaration of Conformity - CE:	1SCC340003D0203
DNV Certificate:	1SCC340019D0201

GL Certificate:	1SCC301042D0201
LR Certificate:	1SCC340016D0202
RoHS Information:	1SCC340034D0201

Classifications

ETIM 5:	EC000249 - Protection switch disconnecter housing
Object Classification Code:	Q





Automatización Eléctrica
Especialistas en Automatización

Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

Product	Code	Reference	Product link
OTP125B4U Enclosed switch	1SCA022401R5300	OTP125B4U	Buy on EAN