



Automatización Eléctrica

Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#)

General Information

Extended Product Type:	KIT EF T6 800 - S6 800 3pcs
Product ID:	1SDA023383R1
EAN:	8015644233839
Catalog Description:	KIT EF T6 800 - S6 800 3pcs
Long Description:	1/2 KIT . . EXETENDED FRONT TERMINALS THREE-POLE S6 800 - T6 800

Categories

Products » Low Voltage Products and Systems » Circuit Breakers » Moulded Case Circuit Breakers » Accessories for Isomax

Products » Low Voltage Products and Systems » Circuit Breakers » Moulded Case Circuit Breakers » Accessories for Tmax T

Ordering

EAN:	8015644233839
Minimum Order Quantity:	1 piece
Customs Tariff Number:	85389099

Dimensions

Product Net Weight:	0.703 kg
---------------------	----------

Container Information

Package Level 1 Units:	1 piece
Package Level 1 Gross Weight:	0.703 kg
Package Level 1 EAN:	8015644233839

Additional Information

Device:	S6 800
Number of Poles:	3
Product Main Type:	Accessories for Tmax T
Product Name:	Accessory for Circuit Breakers
Product Type:	ACC
Standards:	IEC
Suitable For:	S6 T6
Suitable for Product Class:	SACE Tmax T SACE Isomax

Certificates and Declarations (Document Number)

Data Sheet, Technical Information:	1SDC210015D0201
Declaration of Conformity - CE:	1SDL000165R0001

Classifications

Object Classification Code:	Q
-----------------------------	---





Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

Product	Code	Reference	Product link
KIT EF T6 800 - S6 800 3pcs	1SDA023383R1	T6-S6	Buy on EAN