



#### Automatización Eléctrica Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking <u>HERE</u>

## T6D 630 3p F F



# General Information Extended Product Type: T6D 630 3p F F Product ID: 1SDA060343R1 EAN: 8015644628116 Catalog Description: T6D 630 3p F F Long Description: SWITCH-DISCONNECTOR TMAX T6D 630 FIXED THREE-POLE WITH FRONT TERMINALS

#### Categories

Products » Low Voltage Products and Systems » Circuit Breakers » Moulded Case Circuit Breakers » Tmax T

#### Ordering

| EAN:                    | 8015644628116 |  |
|-------------------------|---------------|--|
| Minimum Order Quantity: | 1 piece       |  |
| Customs Tariff Number:  | 85362090      |  |

#### Dimensions

| Product Net Width:  | 210 mm   |
|---------------------|----------|
| Product Net Height: | 268 mm   |
| Product Net Depth:  | 103.5 mm |
| Product Net Weight: | 9.5 kg   |

#### **Container Information**

| Package Level 1 Units:        | 1 piece       |
|-------------------------------|---------------|
| Package Level 1 Width:        | 305 mm        |
| Package Level 1 Height:       | 285 mm        |
| Package Level 1 Length:       | 370 mm        |
| Package Level 1 Gross Weight: | 11 kg         |
| Package Level 1 EAN:          | 8015644628116 |

#### Additional Information

| Number of Poles:                                         | 3                                           |  |  |
|----------------------------------------------------------|---------------------------------------------|--|--|
| Name and the second                                      | 5                                           |  |  |
| Power Loss:                                              | at Rated Operating Conditions per Pole 30 W |  |  |
| Product Main Type:                                       | SACE Tmax T                                 |  |  |
| Product Name:                                            | Switch-disconnector                         |  |  |
| Product Type:                                            | SD                                          |  |  |
| Rated Impulse Withstand Voltage<br>(U <sub>imp</sub> ):  | 8 kV                                        |  |  |
| Rated Insulation Voltage (U <sub>i</sub> ):              | 1000 V                                      |  |  |
| Rated Operational Voltage:                               | 690 V AC<br>750 V DC                        |  |  |
| Rated Short-time Withstand Current<br>I <sub>cw</sub> ): | t for 1 s 15 A                              |  |  |
| Rated Uninterrupted Current (Iu):                        | 630 A                                       |  |  |
| Standards:                                               | IEC 60947                                   |  |  |
| Sub-type:                                                | Тб                                          |  |  |
| Suitable For:                                            | Т6                                          |  |  |
| Suitable for Product Class:                              | Moulded Case Circuit Breakers               |  |  |
| Ferminal Connection Type:                                | Fixed Circuit-Breakers<br>Front             |  |  |
| Геst Voltage Max (U <sub>test</sub> ):                   | 3500 V                                      |  |  |
| /ersion:                                                 | F                                           |  |  |

### Certificates and Declarations (Document Number)

| Data Sheet, Technical Information: 1 |                 |
|--------------------------------------|-----------------|
| Declaration of Conformity - CE: 15   | 1SDL000165R0006 |
| 01                                   |                 |

#### Classifications ETIM 4:

Object Classification Code: UNSPSC:

Q 39121100







Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, <u>click on the green button</u>.

| Product        | Code         | Reference | Product link |
|----------------|--------------|-----------|--------------|
| T6D 630 3p F F | 1SDA060343R1 | T6D630    | Buy on EAN   |